

phyCORE-167CR/ phyCORE-167CS

Hardware Manual

Edition February 2004

In this manual are descriptions for copyrighted products that are not explicitly indicated as such. The absence of the trademark (™) and copyright (©) symbols does not imply that a product is not protected. Additionally, registered patents and trademarks are similarly not expressly indicated in this manual.

The information in this document has been carefully checked and is believed to be entirely reliable. However, PHYTEC Meßtechnik GmbH assumes no responsibility for any inaccuracies. PHYTEC Meßtechnik GmbH neither gives any guarantee nor accepts any liability whatsoever for consequential damages resulting from the use of this manual or its associated product. PHYTEC Meßtechnik GmbH reserves the right to alter the information contained herein without prior notification and accepts no responsibility for any damages which might result.

Additionally, PHYTEC Meßtechnik GmbH offers no guarantee nor accepts any liability for damages arising from the improper usage or improper installation of the hardware or software. PHYTEC Meßtechnik GmbH further reserves the right to alter the layout and/or design of the hardware without prior notification and accepts no liability for doing so.

© Copyright 2004 PHYTEC Meßtechnik GmbH, D-55129 Mainz. Rights - including those of translation, reprint, broadcast, photomechanical or similar reproduction and storage or processing in computer systems, in whole or in part - are reserved. No reproduction may occur without the express written consent from PHYTEC Meßtechnik GmbH.

	EUROPE	NORTH AMERICA
Address:	PHYTEC Technologie Holding AG Robert-Koch-Str. 39 D-55129 Mainz GERMANY	PHYTEC America LLC 203 Parfitt Way SW, Suite G100 Bainbridge Island, WA 98110 USA
Ordering Information:	+49 (800) 0749832 order@phytec.de	1 (800) 278-9913 sales@phytec.com
Technical Support:	+49 (6131) 9221-31 support@phytec.de	1 (800) 278-9913 support@phytec.com
Fax:	+49 (6131) 9221-33	1 (206) 780-9135
Web Site:	http://www.phytec.de	http://www.phytec.com

11th Edition: February 2004

Preface	1
1 Introduction	3
1.1 Block Diagram	6
1.2 View of the phyCORE-167CR/167CS	6
2 Pin Description	7
3 Jumpers	15
3.1 J1 Use of Pin 30 on the SRAM	19
3.2 J2 Internal or External Program Memory	20
3.3 J3 Flash Addressing	20
3.4 J4, J5 A/D Reference Voltage	21
3.5 J6 Oscillator Watchdog / On-Chip Flash	22
3.6 J7, J8 Use of the External UART	22
3.7 J9, J10 Configuration of P3.3, P3.4 for I ² C Bus	23
3.8 J11 RTC Interrupt Output	24
3.9 J12 Write Protection of EEPROM/FRAM	24
3.10 J13, J14, J26 Second Serial Interface Configuration	25
3.11 J15 Address of the Serial EEPROM/ FRAM	25
3.12 J16, J17, J18, J19 CAN Interfaces	26
3.13 J20 Remote Download Source	27
3.14 J21, J22 Serial Interface	28
3.15 J23, J24 Microcontroller Supply Voltage	29
3.16 J25 Flash Write Protection	29
4 System Configuration	31
4.1 System Startup Configuration	31
5 Memory Models	35
5.1 Bus Timing	39
6 Serial Interfaces	41
6.1 RS-232 Interface	41
6.2 CAN Interface	42
7 The Real-Time Clock RTC-8563 (U10)	43
8 Serial EEPROM/FRAM (U9)	44
9 Remote Supervisory Chip (U8)	45
10 Flash Memory (U1)	46
11 Battery Buffer and Voltage Supervisor Chip (U13)	47
12 Technical Specifications	49
13 Hints for Handling the phyCORE-167CR/167CS	51

14	The phyCORE-167CR/167CS on the phyCORE Development Board HD200	53
14.1	Concept of the phyCORE Development Board HD200.....	53
14.2	Development Board HD200 Connectors and Jumpers.....	55
14.2.1	Connectors.....	55
14.2.2	Jumpers on the phyCORE Development Board HD200	57
14.2.3	Unsupported Features and Improper Jumper Settings	59
14.3	Functional Components on the phyCORE Development Board HD200	60
14.3.1	Power Supply at X1.....	61
14.3.2	Activating the Bootstrap Loader	63
14.3.3	First Serial Interface at Socket P1A	65
14.3.4	Power Supply to External Devices via Socket P1A	67
14.3.5	Second Serial Interface at Socket P1B	69
14.3.6	First CAN Interface at Plug P2A.....	74
14.3.7	Second CAN Interface at Plug P2B	80
14.3.8	Programmable LED D3.....	85
14.3.9	Pin Assignment Summary of the phyCORE, the Expansion Bus and the Patch Field	85
14.3.10	Battery Connector BAT1.....	93
14.3.11	Releasing the /NMI Interrupt	93
14.3.12	DS2401 Silicon Serial Number	93
14.3.13	Pin Header Connector X4	94
15	debugCORE-167CR/167CS	97
15.1	Components of the debugCORE	97
15.2	debugADAPTER-167	99
15.2.1	The Quad-Connector	100
15.3	Physical Dimensions.....	102
16	Revision History	103
Index	105

Index of Figures

Figure 1: Block Diagram phyCORE-167CR/167CS.....	6
Figure 2: View of the phyCORE-167CR/167CS	6
Figure 3 Pinout of the phyCORE-connector (Top View, with Cross Section Insert).....	9
Figure 4: Numbering of the Jumper Pads.....	15
Figure 5: Location of the Jumpers (Component Side / Soldering Side)	15
Figure 6: Memory Model Examples	38
Figure 7: Physical Dimensions.....	49
Figure 8: Modular Development and Expansion Board Concept with the phyCORE-167CR/167CS	54
Figure 9: Location of Connectors on the phyCORE Development Board HD200.....	55
Figure 10: Numbering of Jumper Pads	57
Figure 11: Location of the Jumpers (View of the Component Side)	57
Figure 12: Default Jumper Settings of the phyCORE Development Board HD200 with phyCORE-167CR/167CS	58
Figure 13: Connecting the Supply Voltage at X1	61
Figure 14: Pin Assignment of the DB-9 Socket P1A as First RS-232 (Front View)	65
Figure 15: Location of Components at U12 and U13 for Power Supply to External Subassemblies.....	67
Figure 16: Pin Assignment of the DB-9 Socket P1B as Second RS-232 (UART populated, Front View)	71
Figure 17: Pin Assignment of the DB-9 Socket P1B as Emulated RS-232 (Front View)	72
Figure 18: Pin Assignment of the DB-9 Plug P2A (CAN Transceiver on phyCORE-167CR/167CS, Front View)	74
Figure 19: Pin Assignment of the DB-9 Plug P2A (CAN Transceiver on Development Board).....	75

Figure 20: Pin Assignment of the DB-9 Plug P2A (CAN Transceiver on Development Board with Galvanic Separation).....	78
Figure 21: Pin Assignment of the DB-9 Plug P2A (CAN Transceiver on Development Board with Galvanic Separation).....	78
Figure 22: Pin Assignment of the DB-9 Plug P2B (CAN Transceiver on phyCORE-167CS, only with C167CS)	80
Figure 23: Pin Assignment of the DB-9 Plug P2B (CAN Transceiver on Development Board, only with C167CS).....	81
Figure 24: Pin Assignment of the DB-9 Plug P2B (CAN Transceiver on Development Board with Galvanic Separation, only with C167CS)	84
Figure 25: Pin Assignment Scheme of the Expansion Bus.....	86
Figure 26: Pin Assignment Scheme of the Patch Field.....	86
Figure 27: Connecting the DS2401 Silicon Serial Number	94
Figure 28: Pin Assignment of the DS2401 Silicon Serial Number.....	94
Figure 29: Positions of the Additional Components on the debugCORE-167CR/167CS	98
Figure 30: Physical Dimensions debugCORE-167CR/167CS	102

Index of Tables

Table 1:	Pinout of the phyCORE-Connector X1	13
Table 2:	Jumper Settings.....	18
Table 3:	J1 SRAM Capacity Configuration.....	19
Table 4:	J2 Code Fetch Selection.....	20
Table 5:	J3 Addressing the Flash.....	21
Table 6:	J4, J5 A/D Converter Reference Voltage	21
Table 7:	J6 Activating the Oscillator Watchdog.....	22
Table 8:	J7, J8 Control Signals for Optional External UART	23
Table 9:	J9, J10 I ² C Bus Configuration	23
Table 10:	J11 RTC Interrupt Configuration	24
Table 11:	J12 Write Protection of EEPROM/FRAM	24
Table 12:	J13, J14 Second Serial Interface Configuration	25
Table 13:	J15 EEPROM/FRAM Address Configuration	25
Table 14:	J16, J17, J18, J19 CAN Interface Configuration.....	27
Table 15:	J20 Remote Download Source Configuration	27
Table 16:	J21, J22 First Serial Interface Configuration.....	28
Table 17:	J23, J24 Configuration VCC Pins Microcontroller	29
Table 18:	J25 Flash Write Protection Configuration	29
Table 19:	Functional Settings on Port P0 for System Startup Configuration.....	32
Table 20:	System Startup Configuration Registers.....	34
Table 21:	Memory Device Options for U9	44
Table 22:	Improper Jumper Setting for JP16 on the Development Board.....	59
Table 23:	Improper Jumper Setting for JP30/33 on the Development Board.....	59
Table 24:	JP9 Configuration of the Main Supply Voltage VCC	61
Table 25:	JP9 Improper Jumper Settings for the Main Supply Voltage	62

Table 26: JP28 Configuration of the Boot Button.....	63
Table 27: JP28 Configuration of a Permanent Bootstrap Loader Start	64
Table 28: JP22, JP23, JP10 Configuration of Boot via RS-232	64
Table 29: Improper Jumper Settings for Boot via RS-232	64
Table 30: Jumper Configuration for the First RS-232 Interface	65
Table 31: Improper Jumper Settings for DB-9 Socket P1A as First RS-232	66
Table 32: JP24 Power Supply to External Devices Connected to P1A on the Development Board.....	68
Table 33: Jumper Configuration of the DB-9 Socket P1B (no Second RS-232)	69
Table 34: Improper Jumper Settings for DB-9 Socket P1B (no Second RS-232)	70
Table 35: Jumper Configuration of the DB-9 Socket P1B (UART, 2 nd RS-232).....	71
Table 36: Jumper Configuration of the DB-9 Socket P1B (2 nd RS-232 via Software Emulation).....	72
Table 37: Improper Jumper Settings for DB-9 Socket P1B (2 nd RS-232 via Software Emulation).....	73
Table 38: Jumper Configuration for CAN Plug P2A using the CAN Transceiver on the phyCORE-167CR/167CS.....	74
Table 39: Jumper Configuration for CAN Plug P2A using the CAN Transceiver on the Development Board.....	75
Table 40: Improper Jumper Settings for the CAN Plug P2A (CAN Transceiver on the Development Board).....	76
Table 41: Jumper Configuration for CAN Plug P2A using the CAN Transceiver on the Development Board with Galvanic Separation	77
Table 42: JP39 CAN Bus Voltage Supply Reduction	78
Table 43: Improper Jumper Settings for the CAN Plug P2A (CAN Transceiver on Development Board with Galvanic Separation)	79

Table 44: Jumper Configuration for CAN Plug P2B using the CAN Transceiver on the phyCORE-167CS	80
Table 45: Jumper Configuration for CAN Plug P2B using the CAN Transceiver on the Development Board HD200 without galvanic separation	81
Table 46: Improper Jumper Settings for the CAN Plug P2B (CAN Transceiver on the Development Board, only with C167CS)	82
Table 47: Jumper Configuration for CAN Plug P2A using the CAN Transceiver on the Development Board with Galvanic Separation (only with C167CS)	83
Table 48: Improper Jumper Settings for the CAN Plug P2B (CAN Transceiver on Development Board with Galvanic Separation)	84
Table 49: JP17 Configuration of the Programmable LED D3.....	85
Table 50: Pin Assignment Data/Address Bus for the phyCORE-167CR/167CS/ Development Board / Expansion Board.....	87
Table 51: Pin Assignment Port P2, P3, P4 for the phyCORE-167CR/167CS / Development Board / Expansion Board.....	88
Table 52: Pin Assignment Port P5, P6, P7, P8 for the phyCORE-167CR/167CS / Development Board / Expansion Board.....	89
Table 53: Pin Assignment Interface Signals for the phyCORE-167CR/167CS / Development Board / Expansion Board.....	90
Table 54: Pin Assignment Control Signals for the phyCORE-167CR/167CS / Development Board / Expansion Board.....	90
Table 55: Pin Assignment Power Supply for the phyCORE-167CR/167CS / Development Board / Expansion Board.....	91
Table 56: Unused Pins on the phyCORE-167CR/167CS / Development Board / Expansion Board	92

Table 57: JP28 Releasing the /NMI Interrupt.....	93
Table 58: JP19 Jumper Configuration for Silicon Serial Number Chip.....	93
Table 59: JP40 Multi-Purpose Push Button S3 Configuration.....	95
Table 60: Pinout Pin Header Row X3 on the debugCORE-167CR/167CS	98
Table 61: Connector Layout of the of the Quad-Connector (X6)	101

Preface

This phyCORE-167CR/167CS Hardware Manual describes the board's design and functions. Precise specifications for Infineon's C167CR/C167CS microcontroller series controller can be found in the enclosed microcontroller Data Sheet/User's Manual. If software is included please also refer to additional documentation for this software.

In this hardware manual and in the attached schematics, low active signals are denoted by a "/" in front of the signal name (i.e.: /RD). A "0" indicates a logic-zero or low-level signal, while a "1" represents a logic-one or high-level signal.

Declaration of Electro Magnetic Conformity of the PHYTEC phyCORE-167CR/167CS



PHYTEC Single Board Computers (henceforth products) are designed for installation in electrical appliances or as dedicated Evaluation Boards (i.e.: for use as a test and prototype platform for hardware/software development) in laboratory environments.

Caution:

PHYTEC products lacking protective enclosures are subject to damage by ESD and, hence, may only be unpacked, handled or operated in environments in which sufficient precautionary measures have been taken in respect to ESD-dangers. It is also necessary that only appropriately trained personnel (such as electricians, technicians and engineers) handle and/or operate these products. Moreover, PHYTEC products should not be operated without protection circuitry if connections to the product's pin header rows are longer than 3 m.

PHYTEC products fulfill the norms of the European Union's Directive for Electro Magnetic Conformity only in accordance to the descriptions and rules of usage indicated in this hardware manual (particularly in respect to the pin header row connectors, power connector and serial interface to a host-PC).

Implementation of PHYTEC products into target devices, as well as user modifications and extensions of PHYTEC products, is subject to renewed establishment of conformity to, and certification of, Electro Magnetic Directives. Users should ensure conformance following any modifications to the products as well as implementation of the products into target systems.

The phyCORE-167CR/167CS is one of a series of PHYTEC Single Board Computers that can be populated with different controllers and, hence, offers various functions and configurations. PHYTEC supports all common 8- and 16-bit controllers in two ways:

- (1) as the basis for Rapid Development Kits which serve as a reference and evaluation platform
- (2) as insert-ready, fully functional micro-, mini- and phyCORE OEM modules, which can be embedded directly into the user's peripheral hardware, design.

PHYTEC's microcontroller modules allow engineers to shorten development horizons, reduce design costs and speed project concepts from design to market.

1 Introduction

The phyCORE-167CR/167CS belongs to PHYTEC's phyCORE Single Board Computer module family. The phyCORE SBCs represent the continuous development of PHYTEC Single Board Computer technology. Like its mini-, micro- and nanoMODUL predecessors, the phyCORE boards integrate all core elements of a microcontroller system on a subminiature board and are designed in a manner that ensures their easy expansion and embedding in peripheral hardware developments.

As independent research indicates that approximately 70 % of all EMI (Electro Magnetic Interference) problems stem from insufficient supply voltage grounding of electronic components in high frequency environments the phyCORE board design features an increased pin package. The increased pin package allows dedication of approximately 20 % of all pin header connectors on the phyCORE boards to Ground. This improves EMI and EMC characteristics and makes it easier to design complex applications meeting EMI and EMC guidelines using phyCORE boards even in high noise environments.

phyCORE boards achieve their small size through modern SMD technology and multi-layer design. In accordance with the complexity of the module, 0402-packaged SMD components and laser-drilled Microvias are used on the boards, providing phyCORE users with access to this cutting edge miniaturization technology for integration into their own design.

The phyCORE-167CR/167CS is a subminiature (60 x 53 mm) insert-ready Single Board Computer populated with Infineon's C167CR or C167CS microcontroller. Its universal design enables its insertion in a wide range of embedded applications. All controller signals and ports extend from the controller to high-density pitch (0.635 mm) connectors aligning two sides of the board, allowing it to be plugged like a "big chip" into a target application.

Precise specifications for the controller populating the board can be found in the applicable controller User's Manual or Data Sheet. The descriptions in this manual are based on the Infineon C167CR/C167CS. No description of compatible microcontroller derivative functions is included, as such functions are not relevant for the basic functioning of the phyCORE-167CR/167CS.

The phyCORE-167CR/167CS offers the following features:


- subminiature Single Board Computer (60 x 53 mm) achieved through modern SMD technology
- populated with the Infineon C167Cx microcontroller (QFP-144 packaging) featuring up to two¹ on-chip 2.0B CAN modules
- improved interference safety achieved through multi-layer PCB technology and dedicated Ground pins
- controller signals and ports extend to two 100-pin high-density (0.635 mm) Molex connectors aligning two sides of the board, enabling it to be plugged like a "big chip" into target application
- 16-bit, demultiplexed bus mode
- 20 MHz clock frequency (100 ns instruction cycle)
- 16 MB address space
- 256 kByte to 2 MB external Flash on-board²
- on-board Flash programming, no dedicated Flash programming voltage required through use of 5 V Flash devices
- 256 kByte to 1 MB RAM on-board²
- up to 2¹ CAN interfaces with Philips 82C251 CAN transceiver, or Siliconix' Si9200EY
- I²C Real-Time Clock with internal quartz
- 4 to 8 kByte I²C EEPROM¹, or 512 Byte to 8 kByte FRAM¹
- Voltage Supervisory Chip for Reset logic and power supervision
- Remote Supervisory Circuit³
- free Chip Select signals for easy connection of peripheral devices
- requires single 5 V / <220 mA supply voltage
- RS-232 transceiver for two serial interfaces
- optional UART for second asynchronous serial interface
- support for modem signals CTS, RTS, DTR, and DSR over the second serial interface (only when populated with external UART)

¹ : Dual on-chip CAN is only available with Infineon's C167CS microcontroller.

² : Please contact PHYTEC for more information about additional modul configurations.

³ : This feature is under development and not available yet.

1.1 Block Diagram



¹: This feature is under development and is not available yet.

Figure 1: Block Diagram phyCORE-167CR/167CS

1.2 View of the phyCORE-167CR/167CS




Figure 2: View of the phyCORE-167CR/167CS

2 Pin Description

Please note that all module connections are not to exceed their expressed maximum voltage or current. Maximum signal input values are indicated in the corresponding controller manuals/data sheets. As damage from improper connections varies according to use and application, it is the user's responsibility to take appropriate safety measures to ensure that the module connections are protected from overloading through connected peripherals.

As *Figure 3* indicates, all controller signals extend to surface mount technology (SMT) connectors (0.635 mm) lining two sides of the module (referred to as phyCORE-connector). This allows the phyCORE-167CR/167CS to be plugged into any target application like a "big chip".

A new numbering scheme for the pins on the phyCORE-connector has been introduced with the phyCORE specifications. This enables quick and easy identification of desired pins and minimizes errors when matching pins on the phyCORE module with the phyCORE-connector on the appropriate PHYTEC Development Board or in user target circuitry.

The numbering scheme for the phyCORE-connector is based on a two dimensional matrix in which column positions are identified by a letter and row position by a number. Pin 1A, for example, is always located in the upper left hand corner of the matrix. The pin numbering values increase moving down on the board. Lettering of the pin connector rows progresses alphabetically from left to right (*refer to Figure 3*).

The numbered matrix can be aligned with the phyCORE-167CR/167CS (viewed from above; phyCORE-connector pointing down) or with the socket of the corresponding phyCORE Development Board/user target circuitry. The upper left-hand corner of the numbered matrix (pin 1A) is thus covered with the corner of the phyCORE-167CR/167CS marked with a white triangle. The numbering scheme is always in relation to the PCB as viewed from above, even if all connector contacts extend to the bottom of the module.

The numbering scheme is thus consistent for both the module's phyCORE-connector as well as mating connectors on the phyCORE Development Board or target hardware, thereby considerably reducing the risk of pin identification errors.

Since the pins are exactly defined according to the numbered matrix previously described, the phyCORE-connector is usually assigned a single designator for its position (X1 for example). In this manner the phyCORE-connector comprises a single, logical unit regardless of the fact that it could consist of more than one physical socketed connector. The location of row 1 on the board is marked by a white triangle on the PCB to allow easy identification.

The following figure (*Figure 3*) illustrates the numbered matrix system. It shows a phyCORE-167CR/167CS with SMT phyCORE-connectors on its underside (defined as dotted lines) mounted on a Development Board. In order to facilitate understanding of the pin assignment scheme, the diagram presents a crossview of the phyCORE module showing these phyCORE-connectors mounted on the underside of the module's PCB.




Figure 3 Pinout of the phyCORE-connector (Top View, with Cross Section Insert)

Many of the controller port pins accessible at the connectors along the edges of the board have been assigned alternate functions that can be activated via software.

Table 1 provides an overview of the pinout of the phyCORE-connector, as well as descriptions of possible alternative functions. Please refer to the Infineon C167Cx User's Manual/Data Sheet for details on the functions and features of controller signals and port pins.

Pin Number	Signal	I/O	Description
Pin Row X1A			
1A	CLKIN	I	Optional external clock generator
2A, 7A, 12A, 17A, 22A, 27A, 32A, 37A, 42A, 47A	GND	-	Ground 0 V
3A	P2.9	I/O	CAPCOM1: CC9 Capture Input/Compare Output Fast external Interrupt 1 Input (I)
4A	/NMI	I	Non-masked interrupt input
5A	P6.4/ /CS4	O	Chip Select #4
6A	ALE	O	Address latch enable
8A	WRL	O	/WRL signal of the microcontroller
9A, 10A, 11A, 13A, 14A, 15A, 16A, 18A, 24A, 25A, 26A, 28A	A1, A2, A4, A7, A9, A10, A12, A15, A17, A18, A20, A23	O	Address line of the microcontroller
19A, 20A, 21A, 23A, 29A, 30A, 31A, 33A	D1, D2, D4, D7, D9, D10, D12, D15	I/O	Data line of the microcontroller
34A	/RDY	I	Microcontroller READY signal input
35A	NC	-	Not connected. These contacts should remain unconnected on the target hardware side.
36A	P6.6/ /HLDA	I/O	Acknowledge output (master mode)/ input (slave mode)
38A, 39A	P7.1, P7.3	O	POUT1 PWM Channel 1 POUT3 PWM Channel 3
40A, 41A	P7.4, P7.6	I/O	CAPCOM2:CC28 Capture Input/Compare Output CAPCOM2:CC30 Capture Input/Compare Output
43A	P3.9	I/O	SSC Master transmit/Slave receive
44A	P3.0	I	CAPCOM1 Timer T0 Counter input
45A	P3.1	O	GPT2 Timer T6 Latch output
46A	P3.3	O	GPT1 Timer T3 Latch output
48A	P3.6	I	GPT1 Timer T3 Counter input
49A	P6.0/ /CS0	O	Chip Select #0
50A	P6.1/ /CS1	O	Chip Select #1

Pin Number	Signal	I/O	Description
Pin Row X1B			
1B	P3.15	O	CLKOUT system clock output
2B, 3B	P2.8, P2.10	I/O	CAPCOM1: CC8 Capture Input/Compare Output Fast external Interrupt 0 Input (I) CAPCOM1: CC10 Capture Input/Compare Output Fast external Interrupt 2 Input (I)
4B, 9B, 14B, 19B, 24B, 29B, 34B, 39B, 44B, 49B	GND	-	Ground circuitry
5B	P6.3/ /CS3	O	Chip Select #3
6B	P6.2/ /CS2	O	Chip Select #2
7B	/RD	O	/RD signal of phyCORE-167CR/167CS
8B, 10B, 11B, 12B, 13B, 15B, 16B, 17B, 23B, 25B, 26B, 27B	A0, A3, A5, A6, A8, A11, A13, A14, A16, A19, A21, A22	O	Address line of the microcontroller
18B, 20B, 21B, 22B, 28B, 30B, 31B, 32B	D0, D3, D5, D6, D8, D11, D13, D14	I/O	Data line of the microcontroller
33B	P3.12//WRH	O	Microcontroller /WRH signal
35B	P6.5//HOLD	I	Microcontroller /HOLD signal
36B	P6.7//BREQ	O	Microcontroller /BREQ signal
37B, 38B	P7.0, P7.2	O	POUT0 PWM Channel 0 POUT2 PWM Channel 2
40B, 41B	P7.5, P7.7	I/O	CAPCOM2:CC29 Capture Input/Compare Output CAPCOM2:CC31 Capture Input/Compare Output
42B, 43B, 45B, 46B, 47B, 48B	P3.8, P3.13, P3.2, P3.4, P3.5, P3.7	I/O	Port 3 of the microcontroller (<i>see corresponding Data Sheet</i>)
50B	NC	-	Not connected. These contacts should remain unconnected on the target hardware side.

Pin Number	Signal	I/O	Description
Pin Row X1C			
1C, 2C	VCC	-	Voltage input +5 =
3C, 7C, 12C, 17C, 22C, 27C, 32C, 37C	GND	-	Ground 0 V
4C, 5C	NC	-	Not connected These contacts should remain unconnected on the target hardware side.
6C	VBAT	I	Battery input for back-up of RTC and buffering of RAM
8C	/PFO	O	MAX 690/ Power-Fail output
9C	BOOT	I	Input for startup of FlashTools
10C	/RESET	I	/RESET input of the phyCORE-167CR/167CS
11C	/RESOUT	O	/RESOUT signal of μ C
13C, 14C, 15C, 16C, 19C, 20C	P2.2, P2.4, P2.5, P2.7, P2.11, P2.12	I/O	Port 2 of the microcontroller (<i>see corresponding Data Sheet</i>)
18C	CAN-H1 ¹	I/O	Differential CANH line of second CAN transceiver
21C	RxD1_RS232	I	Input of the second interface series of the phyCORE-167CR/167CS, RS-232 level
23C	TxD1_RS232	O	Output of the second interface series of the phyCORE-167CR/167CS, RS-232 level
24C	/RTS1_RS232	O	/RTS signal of the UART U7, RS-232 level
25C	/CTS1_RS232	I	/CTS signal of the UART U7, RS-232 level
26C	/DSR1_RS232	I	/DSR signal of the UART U7, RS-232 level
28C	/DTR1_RS232	O	/DTR signal of the UART U7, RS-232 level
29C	/RI1_TTL	I	/RI signal of the UART U7, TTL level
30C	/CD1_TTL	I	/CD signal of the UART U7, TTL level
31C	SCL	O	CLK line I ² C bus
33C	IRQ_UART	O	Interrupt output of the UART U7
34C	/CS_UART	I	Chip Select signal of the UART U7
35C, 36C	P8.4, P8.6	I/O	CAPCOM2:CC20 Capture Input/Compare Output CAPCOM2:CC22 Capture Input/Compare Output
38C, 39C, 40C	NC	-	Not connected These contacts should remain unconnected on the target hardware side.
41C, 43C, 44C, 45C, 46C,48C, 49C,50C	P5.14 P5.11, P5.9, P5.8, P5.6, P5.3, P5.1, P5.0	I/O	Port 5 of the microcontroller (<i>see corresponding Data Sheet</i>)
42C, 47C	VAGND	-	Analog Ground of the microcontroller

Pin Number	Signal	I/O	Description
Pin Row X1D			
1D, 2D	VCC	-	Voltage input +5 V=
3D, 9D, 14D, 19D, 24D, 29D, 34D	GND	--	Ground 0 V
4D, 5D	VPP	-	Programming voltage for on-chip Flash. Use only if ST10F168 populates the phyCORE module! These contacts should remain unconnected on the target hardware side when using the C167CR or C167CS.
6D	VPD	O	Output of back-up voltage supply for buffering of external components
7D	PFI	I	MAX 690 power fail input. If this input is unused, it must be connected to VCC or GND
8D	WDI	I	MAX 690 Watchdog input
10D	/RESET	I	/RESET input of the phyCORE-167CR/167CS
11D, 12D, 13D, 15D	P2.0, P2.1, P2.3, P2.6	I/O	Port 2 of the microcontroller (<i>see corresponding Data Sheet</i>)
16D	P3.11/RxD0	I	Input of the first serial interface, TTL level
17D	P3.10/TxD0	O	Output of the first serial interface, TTL level
18D	CAN-L1 ¹	I/O	Differential CANL line of the 2nd CAN transceiver
20D	CAN-L0	I/O	Differential CANL line of the 1st CAN transceiver
21D	CAN-H0	I/O	Differential CANH line of the first CAN transceiver
22D	RxD0_RS232	I	Input of the first serial interface, RS-232 level
23D	TxD0_RS232	O	Output of the first serial interface, RS-232 level
25D 26D	P2.14, P2.15	I/O	CAPCOM1: CC14 Capture Input/Compare Output Fast ext. Interrupt 6 Input (I) CAPCOM1: CC15 Capture Input/Compare Output Fast external Interrupt 7 Input (I) T7IN Timer T7 Count Input (I)
27D, 28D, 30D, 31D	P8.0, P8.1, P8.2, P8.3	I/O	CAPCOM2:CC16 Capture Input/Compare Output CAPCOM2:CC17 Capture Input/Compare Output CAPCOM2:CC18 Capture Input/Compare Output CAPCOM2:CC19 Capture Input/Compare Output
32D	SDA	O	Data-line I ² C bus
33D	/IRQ_RTC	O	Interrupt output of the RTC
35D, 36D	P8.5, P8.7	I/O	CAPCOM2:CC21 Capture Input/Compare Output CAPCOM2:CC23 Capture Input/Compare Output
37D	P2.13	I/O	CAPCOM1: CC13 Capture Input/Compare Output Fast ext. Interrupt 5 Input (I)
38D	NC	-	Not connected. These contacts should remain unconnected on the target hardware side.
39D, 44D, 49D	VAGND	-	Analog Ground
40D, 41D, 42D, 43D, 45D, 46D, 47D, 48D	P5.15, P5.13, P5.12, P5.10, P5.7, P5.5, P5.4, P5.2	I	Port 5 of the microcontroller (<i>see corresponding Data Sheet</i>)
50D	VAREF	I	Reference voltage input for A/D converter

Table 1: Pinout of the phyCORE-Connector X1

1: Dual on-chip CAN is only available with Infineon C167CS microcontroller.

3 Jumpers

For configuration purposes, the phyCORE-167CR/167CS has 24 solder jumpers, some of which have been installed prior to delivery. *Figure 4* illustrates the numbering of the jumper pads, while *Figure 5* indicates the location of the jumpers on the board. On the phyCORE-167CR/167CS, only Jumpers J1, J20 and J23 are located on the top side of the circuit board.




Figure 4: Numbering of the Jumper Pads




Figure 5: Location of the Jumpers (Component Side / Soldering Side)

The jumpers (J = solder jumper) have the following functions:

	Default Setting ¹		Alternative Setting	
J1	2 + 3	VCC at pin 30 of the RAM (for RAM < 512 kByte)	1 + 2	A18 at pin 30 of the RAM (for RAM > 512 kByte)
J2	2 + 3	external ROM/ Flash active	1 + 2	internal ROM/Flash-EEPROM is active
J3	closed	Port P4.4 (A20), can be configured as CAN1 receive line ²	closed	Address line A20 for external Flash
J4	closed	VAREF derived from supply voltage VCC	open	VAREF from external source via pin X1D50
J5	closed	VAGND derived from digital ground GND	open	VAREF from external ground via pins X1C42, X1C47, X1D39, X1D44 and X1D49 ³
J6	open	C167CR: Oscillator Watchdog enabled ⁴	1 + 2 3 + 4 2 + 3	C167CR: not allowed! C167CR: not allowed! C167CR: oscillator Watchdog disabled ⁴
J7	open	P2.8 of the microcontroller is freely available as standard I/O at Molex pin X1B2	closed	IRQ of the UART is connected to P2.8 of the microcontroller
J8	open	/CS2 of the microcontroller is freely available at Molex pin X1B6	closed	/CS2 of the microcontroller is connected to the external UART
J9	closed	P3.4 of the microcontroller connected to SCL of the I ² C bus	open	P3.4 of the microcontroller is freely available as standard I/O at Molex pin X1B46
J10	closed	P3.3 of the microcontroller connected to SDA of the I ² C bus	open	P3.3 of the microcontroller is freely available as standard I/O at Molex pin X1A46

¹: Applies to standard modules without optional features.

²: Dual on-chip CAN is only available with Infineon C167CS microcontroller.

³: These pins are solely connected to GND of the Development Board when using the phyCORE module on a phyCORE Development Board HD200. It is not possible to attach an external GND potential in this configuration.

⁴: This function is only available with Infineon's C167CR microcontroller (*see corresponding Data Sheet*).

	Default Setting		Alternative Setting	
J11	closed	IRQ of the RTC connected to pin P2.9 of the microcontroller	open	P2.9 of the controller is freely available as standard I/O at Molex pin X1A3
J12	2 + 3	deactivates write protection of the EEPROM/FRAM memory device	1 + 2	optional write protection of the EEPROM/FRAM memory device is activated (<i>see Data Sheet</i>)
J13	1 + 2	RS-232 transceiver (TxD) of the second serial interface connected to P3.0 of the controller	2 + 3	RS-232 transceiver (TxD) for the second serial interface connected to UART (depends on module configuration)
J14	3 + 4	RS-232 transceiver (RxD) of the second serial interface connected to P3.1 of the controller	2 + 4 1 + 2	RS-232 transceiver (RxD) for the second serial interface connected to UART (depends on module configuration) RxD signal (TTL level) from UART at U7 connected to pin X1C21
J15	2 + 3	address of the serial memory device at U9 set to 0xA8 (hex) (<i>see Data Sheet of memory device</i>)	1 + 2	address of the serial memory device set to 0xAC (hex) (<i>see Data Sheet of memory device</i>)
J16¹	2 + 3	CAN0 transmit line (CANTx) of the CAN transceiver at U11 connected to P4.6 (A22) of the microcontroller (<i>see μC Data Sheet</i>)	1 + 2	CAN0 transmit line (CANTx) of the CAN transceiver at U11 connected to P8.1 of the microcontroller (<i>see controller Data Sheet</i>) ²
J17¹	2 + 3	CAN0 receive line (CANRx) of the CAN transceiver at U11 connected to Port P4.5 (A21) of the microcontroller (<i>see μC Data Sheet</i>)	1 + 2	CAN0 receive line (CANRx) of the CAN transceiver at U11 connected to P8.0 of the microcontroller (<i>see controller Data Sheet</i>) ²

¹ : **Note:** If the C167CR controller populates the phyCORE module, using the CAN interface reduces the available address space to 1 MB for each /CS signal.

² : Use of port P8 as CAN interface is only possible with Infineon C167CS microcontroller.

	Default Setting		Alternative Setting	
J18 ¹	2 + 3	CAN1 transmit line (CANTx) of the CAN transceiver at U12 connected to Port 4.7 (A23) of the controller (see <i>µC Data Sheet</i>)	1 + 2	CAN1 transmit line (CANTx) of the CAN transceiver at U12 connected to P8.3 of the microcontroller (see <i>controller Data Sheet</i>)
J19 ¹	2 + 3	CAN1 receive line (CANRx) of the CAN transceiver at U12 connected to Port P4.4 (A20) of the microcontroller (see <i>µC Data Sheet</i>)	1 + 2	CAN1 receive line (CANRx) of the CAN transceiver at U12 connected to P8.2 of the microcontroller (see <i>controller Data Sheet</i>)
J20	open	Remote Download not connected	1 + 2 3 + 5 3 + 4 2 + 6	Remote Download Source: via P3.1 via CAN1Rx via CAN2Rx via P3.11
J21	closed ²	P3.11 used as RXD0 and connected to RS-232 transceiver U6	open	P3.11 of the controller is freely available as standard I/O at X1D16
J22	closed ²	P3.10 used as TXD0 and connected to RS-232 transceiver U6	open	P3.10 of the controller is freely available as standard I/O at Molex pin X1D17
J23	closed	Pin 17 of the controller is connected to VCC	open	Pin 17 of the controller is connected to GND via a bypass capacitor
J24	closed	Pin 56 of the controller is connected to VCC	open	Pin 56 of the controller is connected to GND via a bypass capacitor
J25	open	No Flash write protection available	closed	Applicable Flash sectors are write-protected
J26	1 + 2	RS-232 transceiver U6 output connected to Molex pin X1C23	2 + 3	TxD signal (TTL level) from UART at U7 connected to pin X1C23

Table 2: Jumper Settings

¹: The second CAN interface is only available with Infineon's C167CS.

²: **Note:** These jumpers must remain closed on the phyCORE-167CR/167CS. If they are open, no serial communication is possible, hence PHYTEC FlashTools or the BOOT monitor will not function properly.

3.1 J1 Use of Pin 30 on the SRAM

Jumper J1 determines the use of pin 30 on the SRAM devices at U2 and U3. On SRAM devices with a capacity of 128 kBytes, pin 30 is defined as an active-high Chip Select signal. To enable access to such SRAM devices, a high-level should be applied to pin 30. On SRAM devices with a capacity of more than 512 kBytes, pin 30 is used as address line A17. In case the SRAM has a 16-bit bus width, this pin must be connected to address line A18 of the microcontroller.

On the phyCORE-167CR/167CS, J1 should be used as follows:

Jumper J1 must be closed at positions 2+3 if the phyCORE-167CR/167CS is populated with external SRAM devices with a total capacity of 2*128 kByte. This results in a hard-wired connection of VCC to pin 30 of the SRAM. If an SRAM memory configuration of 2*512 kByte is used, pin 30 (A17) on the SRAM must be connected to address line A18 of the microcontroller. This is done by setting Jumper J1 to position 1+2. Please note that a "virtual" 16-bit SRAM memory bus width is achieved by using two parallel 8-bit SRAM devices. Address A0 of the microcontroller enables internal selection of the memory components and is used for generation of the appropriate write signals /WRL and /WRH.

The following configurations are possible:

SRAM Configuration	J1
2 x 128 kByte SRAM	2 + 3*
2 x 512 kByte SRAM	1 + 2

* = Default setting

Table 3: J1 SRAM Capacity Configuration

3.2 J2 Internal or External Program Memory

At the time of delivery, Jumper J2 is closed at 2+3. This default configuration means that the program stored in the external program memory is executed after a hardware reset. In order to allow the execution of a specific controller's internal program memory, Jumper J2 must be closed at 1+2.

The following configurations are possible:

Code Fetch Selection	J2
Execution from external program memory	2 + 3*
Execution from internal program memory	1 + 2

* = Default setting

Table 4: J2 Code Fetch Selection

3.3 J3 Flash Addressing

Jumper J3 connects the controller's address line A20 with the address line A19 on the Flash device (U1). If using a Flash memory with a capacity of less than 2 MB, Jumper J3 must remain open in order to avoid conflict with the second CAN interface¹. If a 2 MB Flash device populates the phyCORE-167CR/167CS, then Jumper J3 must be closed. In this case, the second CAN interface must be rerouted to and connected at Port P8² in order to avoid conflict with the upper address lines.

¹: The second CAN interface is only available on the C167CS controller (*refer to the User's Manual and Data Sheet*).

²: The feature that reroutes CAN signals to port P8 is only available on the C167CS controller.

The following configurations are possible:

Flash Addressing	J3
If Flash memory is < 2 MB, then P4.4 is used as a standard I/O or as CAN1 receive line ¹ .	open*
If Flash memory is > 2 MB, then P4.4 serves as A20 for addressing the Flash (CAN receive line must be connected at Port P8) ² .	closed

* = Default setting

Table 5: J3 Addressing the Flash

3.4 J4, J5 A/D Reference Voltage

The A/D converter on the phyCORE-167CR/167CS requires an upper and lower reference voltage connected at pins 37 and 38 (V_{AREF} , V_{AGND}). The reference voltage source can be selected using Jumpers J4 and J5.

A/D Reference Voltage Source Selection	J4	J5
External reference voltage source (V_{AREF} at X1D50, V_{AGND} at X1D39, X1D44 and X1D49)	open	open ³
V_{AREF} derived from voltage supply VCC	closed*	
V_{AGND} derived from digital ground GND potential		closed*

* = Default setting

Table 6: J4, J5 A/D Converter Reference Voltage

-
- ¹: The second CAN interface is only available with Infineon's C167CS controller (*refer to the microcontroller User's Manual and Data Sheet for further information*).
 - ²: The feature of rerouting CAN signals to port P8 is only available with Infineon's C167CS controller.
 - ³: These pins are solely connected to GND of the Development Board when using the phyCORE module on a phyCORE Development Board HD200. It is not possible to attach an external GND potential in this configuration.
-

3.5 J6 Oscillator Watchdog / On-Chip Flash

Depending on the type of microcontroller that populates the phyCORE module, the controller pin 84 has various functions. When using the C167CR, pin 84 controls the oscillator Watchdog. In contrast, when a microcontroller with on-chip Flash populates the module, pin 84 connects the programming voltage. Furthermore, controller pin 84 also affects the reset behavior of the microcontroller used on the module. Jumper J6 activates these functions as described in the table below.

The following configurations are possible:

Function of Pin 84	J6
Activates oscillator Watchdog of the C167CR	open*
Disables oscillator Watchdog of the C167CR	2 + 3
Connects VPP (12 V) at pin 84 for programming of the on-chip Flash	1 + 2
Note: This configuration must not be used in conjunction with an Infineon C167 derivative!	
Connects the reset circuitry R39/C18 to pin 84	2 + 4
Note: This configuration must not be used in conjunction with an Infineon C167 derivative!	

* = Default setting

Table 7: J6 Activating the Oscillator Watchdog

3.6 J7, J8 Use of the External UART

An optional UART can populate the phyCORE-167CR/167CS at U7. This configuration allows use of a second serial interface. The controller signal /CS2 activates the external UART. Similar to the C167CR/C167CS' on-chip UART, serial communication via the external UART can be controlled by an interrupt. In this case, the external interrupt 0 at port P2.8 is used. Jumpers J7 and J8 are used to connect /CS2 and port P2.8 (EX0IN) to the corresponding pins on the external UART.

The following configurations are possible:

Port P2.8	J7
P2.8 of the microcontroller is freely available as standard I/O at phyCORE-connector pin X1B2	open*
IRQ of the UART connects to the microcontroller at pin P2.8	closed

Chip Select /CS2	J8
/CS2 of the microcontroller is freely available at phyCORE-connector pin X1B6	open*
/CS2 of the microcontroller connects to the external UART	closed

* = Default setting

Table 8: J7, J8 Control Signals for Optional External UART

3.7 J9, J10 Configuration of P3.3, P3.4 for I²C Bus

The phyCORE-167CR/167CS is equipped with a Real-Time Clock at U10 and a serial EEPROM/FRAM at U9. Both the Real-Time Clock and the serial EEPROM/FRAM are accessed by means of an I²C interface. With Jumpers J9 and J10, this interface can be connected to port pins P3.3 and P3.4. Use of these pins as standard I/O lines requires opening of the corresponding jumpers.

The following configurations are possible:

I²C Bus Configuration	J10	J9
Port P3.3 used as I/O pin at X1A46	open	
Port P3.3 used as I ² C SDA	closed*	
Port P3.4 used as I/O pin at X1B46		open
Port P3.4 used as I ² C SCL		closed*

* = Default setting

Table 9: J9, J10 I²C Bus Configuration

3.8 J11 RTC Interrupt Output

Jumper J11 determines whether the interrupt output of the RTC (U10) is connected to port pin P2.9 of the microcontroller. If Jumper J11 remains open, P2.9 can be used as a port pin at X1A3.

The following configurations are possible:

Port P2.9 Configuration	J11
Port P2.9 as I/O pin at X1A3	open
Port P2.9 as /INT input for RTC	closed*

* = Default setting

Table 10: J11 RTC Interrupt Configuration

3.9 J12 Write Protection of EEPROM/FRAM

Various types of EEPROM/FRAM can populate space U9. Some of these devices provide a write protection function. Closing Jumper J12 at position 1+2 connects pin 7 of the serial EEPROM/FRAM with VCC and thus activates write protection. If the write protection function has to be disabled, then leave Jumper J12 closed at pads 2+3.

The following configurations are possible:

Write Protection EEPROM/FRAM	J12
Write protection of EEPROM/FRAM deactivated	2 + 3*
Write protection of EEPROM/FRAM activated	1 + 2

* = Default setting

Table 11: J12 Write Protection of EEPROM/FRAM

3.10 J13, J14, J26 Second Serial Interface Configuration

Jumpers J13, J14 and J26 enable selection of the signal source of the second serial interface. As an alternate to the software-emulated interface at port pins P3.0 and P3.1 of the controller, an optional external UART can be installed on the phyCORE-167CR/167CS at U7. With the implementation of the external UART, the port pins can be used as standard I/O pins at X1A44 (P3.0) and X1A45 (P3.1).

The following configurations are possible:

RS-232 Interface Configuration	J13	J14	J26
P3.0 and P3.1 connect to RS-232 transceiver for software-emulated second serial interface	1 + 2*	3 + 4*	1 + 2*
UART U7 connect to RS-232 transceiver providing a real second interface	2 + 3	2 + 4	1 + 2
TTL level signals from UART U7 routed to Molex connector X1	open	1 + 2	2 + 3

* = Default setting

Table 12: J13, J14 Second Serial Interface Configuration

3.11 J15 Address of the Serial EEPROM/ FRAM

Jumper J15 configures the serial EEPROM/FRAM address. The default configuration (J15 = 2+3) sets the address to 0xA8.

The following configurations are possible:

EEPROM/FRAM Address	J15
0xA8	2 + 3*
0xAC	1 + 2

* = Default setting

Table 13: J15 EEPROM/FRAM Address Configuration

3.12 J16, J17, J18, J19 CAN Interfaces

The first CAN interface of the phyCORE-167CR/167CS is available at the port pins P4.5 (CAN1Rx) and P4.6 (CAN1Tx, as well as CAN2Tx¹). The second CAN² interface is located at port pins P4.4 (CAN2Rx) and P4.7 (CAN2Tx, as well as CAN1Rx or CAN2Rx¹). These signals extend to the two CAN transceivers at U11 and U12 (PCA82C251, alternately Si9200EY). The CAN transceivers generate the corresponding CANH0, CANL0, CANH1, and CANL1 signals. These signals can be directly connected to a CAN dual-wire bus. Generation of the CAN signals requires closing the solder Jumpers J16, J17, J18, and J19.

Direct access to the CAN1Rx, CAN1Tx, CAN2Rx and CAN2Tx signals is also available at the module's X1 Molex connector if soldering jumpers J16, J17, J18 and J19 are open. This enables use of an external CAN transceiver.

In order to utilize the full 16 MB linear address space of the microcontroller, the CAN interface signals can be optionally routed to port 8³. In this case Jumpers J16 - J19 must be set at positions 1+2. *Please refer to the Infineon C167 User's Manual/Data Sheet for details on the functions and features of controller signals and port pins.*

Note:

If the C167CR controller populates the phyCORE module, using the CAN interface reduces the available address space to 1 MB for each /CS signal.

-
- ¹: The C167CS allows for optional use of various CAN signals on this port. Configuration is made using the SFR (special function register) PCIR. When using the on-board CAN transceivers we recommend to use the signals as indicated in the table below.
 - ²: The second CAN interface is only available with Infineon's C167CS controller.
 - ³: The feature of rerouting CAN signals to port P8 is only available with Infineon's C167CS controller.

Caution: Ensure correct configuration of the bit field IPC (in controller register PCIR) to allow proper use of the CAN interface (*refer to the microcontroller User's Manual and Data Sheet for further information*).

The following CAN interface configurations are possible:

Interface CAN1	J16	J17
P4.5 (CAN1Rx) P4.6 (CAN1Tx)	2 + 3*	2 + 3*
P8.0 (CAN1Rx) P8.1 (CAN1Tx) ¹	1 + 2	1 + 2

Interface CAN2 ²	J18	J19
P4.4 (CAN2Rx) P4.7 (CAN2Tx)	2 + 3*	2 + 3*
P8.2 (CAN2Rx) P8.3 (CAN2Tx) ¹	1 + 2	1 + 2

* = Default setting

Table 14: J16, J17, J18, J19 CAN Interface Configuration

3.13 J20 Remote Download Source

Space U8 on the module is intended to be populated by a Remote Supervisory Chip³. This IC can initiate a boot sequence via various serial interfaces (*refer to section 6*). Jumper J20 is reserved for future use and remains open as default.

The following configurations are possible:

Download Source	J20
not available	open*
Port P3.11 / RxD0	2 + 6
Port P3.1 / RxD1	1 + 2
Port CAN1Rx	3 + 5
Port CAN2Rx	3 + 4

* = Default setting

Table 15: J20 Remote Download Source Configuration

¹: Rerouting CAN signals to port P8 is only available with Infineon's C167CS controller.

Caution: Ensure correct configuration of the bit field IPC (in controller register PCIR) to allow proper use of the CAN interface (*refer to the microcontroller User's Manual and Data Sheet for further information*).

²: The second CAN interface is only available with Infineon's C167CS controller.

³: This feature is under development and not available at this time.

3.14 J21, J22 Serial Interface

Jumper J21 and J22 connect the signals of the first asynchronous serial interface to the on-board RS-232 transceiver (U6). The interface signals are then available with RS-232 level at the phyCORE-connector pins X1D22 (RxD0) and X1D23 (TxD0). If the jumpers are opened, the applicable controller pins P3.10 and P3.11 can be used with their alternative functions or the serial interface signals are available with their TTL level at phyCORE-connector pins X1D17 and X1D16.

Note:

These jumpers must remain closed on the phyCORE-167CR/167CS. If they are open, no serial communication is possible, hence PHYTEC FlashTools or the BOOT monitor will not function properly. If the jumpers are closed we recommend **not** to use the interface signals with their TTL level as this will cause damage to the on-board components.

Signal Quality	J21	J22
TxD0 and RxD0 carry RS-232 level	closed*	closed*
P3.10 and P3.11 available as I/O pin or TxD0 and RxD0 interface signals with TTL level	open	open

* = Default setting

Table 16: J21, J22 First Serial Interface Configuration

3.15 J23, J24 Microcontroller Supply Voltage

Jumper J23 and J24 connect certain controller pins to their required supply potential.

Note:

Jumper J23 and J24 must be closed in conjunction with the Infineon C167CR or C167CS Microcontroller.

VCC Pin Connection	J23	J24
VCC connected to controller pins	closed* ¹	closed* ¹
C16 and C17 function as bypass capacitors	open ²	open ²

*¹ Default setting phyCORE-167CR/167CS

² Must not be used on phyCORE-167CR/167CS!

Table 17: J23, J24 Configuration VCC Pins Microcontroller

3.16 J25 Flash Write Protection

Jumper J25 configures the write protection pin of the Flash device at U1. If Jumper J25 is closed, certain Flash sectors are write-protected depending on the Flash device populating U1. Refer to the applicable Flash device's users manual/datasheet for details.

The following configurations are possible:

Flash Protection	J25
No Flash write protection	open*
Write protection for applicable Flash sectors (<i>refer to Flash data sheet</i>)	closed

* = Default setting

Table 18: J25 Flash Write Protection Configuration

4 System Configuration

Following a hardware or software reset, the microcontroller starts program execution from address 00:0000H. At this address a jump instruction to an application-specific initialization routine is located. This routine configures certain features of the microcontroller. Initialization is carried out in a privileged mode and completed by an EINIT instruction. After that, access to specific registers and execution of certain instructions are limited.

Although most features of the C167CR/C167CS microcontroller are configured and/or programmed during the initialization routine, other features, which influence program execution, must be configured prior to initialization.

4.1 System Startup Configuration

The system startup configuration sets the features of the microcontroller that have a direct influence on program execution and, hence, the correct execution of the initialization routine as well. Of particular importance to the system startup configuration are the characteristics of the external bus interface which supports the module's memory (for example data width, multiplexed- or demultiplexed mode).

During the system startup configuration, certain pins comprising port P0 are latched by the controller during the reset procedure. The signal level on the corresponding input pins configures the resulting characteristics of the controller. The system startup configuration can be set by connecting desired pins at port 0 with a pull-down resistor (resulting in logical 0), or by leaving the connections open (resulting in logical 1).

A 4.7 k Ω pull-down resistor is recommended, although the resistor value is also dependent upon the external circuitry that is connected to the data bus of the module.

The individual pins of port P0 have the following functions:

Function of port P0 during system reset (high byte)							
Bit H7	H6	H5	H4	H3	H2	H1	Bit H0
CLKCFG			SALSEL		CSSEL		WRC
<i>R31,</i>	<i>R29,</i>	<i>R28</i>	<i>R27</i>	<i>R26</i>	<i>R25</i>	<i>R24</i>	<i>R23</i>
<i>1</i>	<i>1</i>	<i>1</i>	<i>0(1¹)</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>

Function of port P0 during system reset (low byte)							
Bit L7	L6	L5	L4	L3	L2	L1	Bit L0
BUSTYP	SMOD					ADP	EMU
<i>R22</i>	<i>R21</i>						
<i>1</i>	<i>0</i>	<i>Pin 21B</i>	<i>0</i>	<i>Pin 20B</i>	<i>Pin 20A</i>	<i>Pin 19A</i>	<i>Pin 18B</i>

Table 19: Functional Settings on Port P0 for System Startup Configuration

In order to ensure proper functioning of the microcontroller, reserved pins must remain at high-level (logical 1). Configuration on these pins must not be changed.

¹: On modules with a memory configuration featuring 2 MB Flash memory (PCM-009-x3x) the register SALSEL must be configured with the values 1 (H4) 0 (H3).

The following table provides detailed comments to these system startup functions:

Name	Value	Function	Comment
CLKCFG	1 1 1*	CPU clock = ext. clock * 4	defines CPU clock
	1 1 0	CPU clock = ext. clock * 3	
	1 0 1	CPU clock = ext. clock * 2	
	1 0 0	CPU clock = ext. clock * 5	
	0 1 1	CPU clock = ext. clock * 1	
	0 1 0 ¹	CPU clock = ext. clock * 1.5	
	0 0 1 ¹	CPU clock = ext. clock * 0.5	
	0 0 0 ¹	CPU clock = ext. clock * 2.5	
SALSEL	1 1	address lines A16..A17, I/O pins P4.2..P4.7	defines function of port pins P4.0..P4.7
	1 0 ²³	address lines A16..A23, no I/O pins	
	0 1	no address lines, I/O pins P4.0..P4.7	
	0 0 ²	address lines, A16..A19, I/O pins P4.4..P4.7	
CSSEL	1 1	Chip Selects /CS0../CS4, no I/O pins	defines function of port pins P6.0..P6.4
	1 0	no Chip Selects, I/O pins P6.0..P6.4	
	0 1	Chip Selects /CS0../CS1, I/O pins P6.2..P6.4	
	0 0	Chip Selects /CS0../CS2, I/O pins P6.3..P6.4	
WRC	1	/WR and /BHE	defines function of pins /WR and P3.12
	0*	/WRL and /WRH	

¹: These configurations are only possible with an Infineon C167CS.

²: On modules with a memory configuration featuring 2 MB Flash memory (PCM-009-x3x) the register SALSEL must be configured with the values 1 (H4) 0 (H3).

³: **Note:** If the C167CR controller populates the phyCORE module, using the CAN interface reduces the available address space to 1 MB for each /CS signal.

Name	Value	Function	Comment
BUSTYP	1 1	16-bit multiplexed bus	defines bus interface for /CS0 (BUSCON0)
	1 0	16-bit demultiplexed bus	
	0 1	8-bit multiplexed bus	
	0 0	8-bit demultiplexed bus	
BSL	1	Bootstrap loader inactive	
	0	Bootstrap loader active	
ADP	1	adapter mode inactive	
	0	adapter mode active	
EMU	1	emulation mode inactive	
	0	emulation mode active	

Table 20: System Startup Configuration Registers

Default system startup configuration of the phyCORE-167CR/167CS

The initial setting of the system startup configuration can be modified during the initialization routine. Certain functions can not be configured during startup, such as selection of the number of wait states for individual memory devices and Chip Select signals, as well as the location of these devices within the controller's address space.

Several software development tools utilize a special file which allows easy definition of system settings. This configuration file can be easily included in the translation and link procedures (such as the *start167.a66* used within the Keil software development tool chain).

5 Memory Models

The C167CR/C167CS controller provides up to five Chip Select signals at port P6 for easy selection of external peripherals or memory banks. Depending on the number of memory devices installed on the phyCORE-167CR/167CS, as well as the availability of the optional UART, up to three Chip Select signals are used internally. /CS0 (P6.0) selects the Flash memory installed on U1 with a total memory of either 256 kByte, 512 kByte, 1 MB or 2 MB. The external data memory consists of the one RAM bank at U2/U3. These spaces can house memory devices of 128 kByte or 512 kByte in an SO28-32 package. /CS1 (P6.1) selects the RAM bank on U2/U3. /CS2 (P6.2) selects the optional UART at U7.

The Chip Select signals must be enabled during reset (*refer to section 4*). The assignment of the Chip Select signals to specific address areas is done with the corresponding ADDRESELx and BUSCONx register. Note that ADDRESELx must be configured prior activating of the Chip Select signal with register BUSCONx. Ensure that the memory areas do not overlap in order to avoid conflicts when accessing the desired code or data memory. Program code must remain accessible via /CS0.

Prior to definition of the ADDRESELx and the BUSCONx register, only /CS0 (P6.0 connected to Flash bank 0) is active in the entire address space and remains active for all areas not assigned to another Chip Select signal.

By configuring the memory cycle wait state ($T_c = 50$ ns) and the read/write delay it is possible to use memory devices with access times up to 100 ns at a bus cycle time of 150 ns. To run the controller without wait state, memory devices with 55 ns access time must be installed. In this case, the bus cycle time is 100 ns. The read/write delay should be always active (*refer to the C167CR/C167CS User's Manual for more information*).

The following paragraph contains important information on timing characteristics. All information refers to a C167CR/C167CS controller with a 16-bit bus, demultiplexed, at 20 MHz CPU clock time (F_{osz}).

$T_c = 50 \text{ ns} * \text{wait state control (MCTC in BUSCON)}$

$T_f = 50 \text{ ns} * \text{tristate control (MTTC in BUSCON)}$.

addresses stable until data valid:	max. 70 ns + T_c	SR ¹
/RD low until data valid:	max. 55 ns + T_c	SR ¹
/RD low until data valid (rd/wr delay):	max. 30 ns + T_c	SR ¹
/RD high until databus high-Z:	max. 15 ns + T_f	SR ¹
/RD high until data high-Z (rd/wr delay):	max. 35 ns + T_f	SR ¹
/CSx until data valid:	max. 55 ns + T_c	SR ¹
/RD and /WR low:	min. 65 ns + T_c	CC ²
/RD and /WR low (rd/wr delay):	min. 40 ns + T_c	CC ²
data valid until /WR high:	min. 25 ns + T_c	CC ²
/WR high until data invalid:	min. 15 ns + T_f	CC ²

The following examples contain two configurations of the controller's memory areas given the standard memory devices populating the phyCORE-167CR/167CS. These examples match the needs of most standard applications.

¹: SR = System Time (external circuitry must meet this timing criteria)

²: CC = Controller Characteristic (the controller ensures this time for external peripheral circuitry)

Example a)

ADDRESEL1:	0406h = address range 04:0000h - 07:FFFFh (256 kByte RAM bank on U2/U3)
ADDRESEL2:	0800h = address range 08:0000h - 08:0FFFh (4 kByte address space for ext. UART)
ADDRESEL3 ¹ :	0816h = address range 08:1000h – 0C:FFFFh (256 kByte free I/O area)
ADDRESEL4 ¹ :	0C16h = address range 0C:1000h - 10:0FFFh (256 kByte free I/O area)
BUSCON0:	04AFh: bus active for /CS0 (Flash bank U1)
BUSCON1:	04AFh: bus active for /CS1 (RAM bank U2/3)
BUSCON2:	042Fh: bus active for /CS2 (ext. UART)
BUSCON3 ¹ :	068Fh: bus active for /CS3 (free I/O)
BUSCON4 ¹ :	068Ch: bus active for /CS4 (free I/O)
BUSCON0-2:	for all 55 ns memory devices (0 wait states, read/write delay, no tristate, short ALE, 16-bit demultiplexed)
BUSCON3,4:	for free I/O area (3 wait states, read/write delay, tristate wait 300 ns, long ALE, 16-bit demultiplexed)

Example b)

ADDRESEL1:	0006h = address range 00:0000h - 03:FFFFh (256 kByte RAM bank on U2/3)
ADDRESEL2:	0806h = address range 08:0000h - 08:0FFFh (4 kByte address space for external UART)
ADDRESEL3 ¹ :	0816h = address range 08:1000h – 0C:0FFFh (256 kByte free I/O)
ADDRESEL4 ¹ :	0C16h = address range 0C:1000h - 10:0FFFh (256 kByte free I/O)
BUSCON0:	04AFh: bus active for /CS0 (Flash bank U1)
BUSCON1:	04AFh: bus active for /CS1 (RAM bank U2/3)
BUSCON2:	042Fh: bus active for /CS2 (external UART)
BUSCON3 ¹ :	068Ch: bus active for /CS3 (free I/O)
BUSCON4 ¹ :	068Ch: bus active for /CS4 (free I/O)
BUSCON0-2:	for all 55 ns memory devices active (0 wait states, read/write delay, no tristate, short ALE, 16-bit demultiplexed)
BUSCON3,4:	for free I/O area (3 wait states, read/write delay, tristate, long ALE, 16-bit demultiplexed)

¹: /CS3 and /CS4 are not active in the standard configuration of the phyCORE-167CR/167CS. In order to use these signals, resistors R24 and R25 must be removed (*refer to section 4.1*).

Example a)		Example b)	
FF:FFFFh	P6.0 (/CS0) memory image of Flash Bank 1	FF:FFFFh	P6.0 (/CS0) memory image of Flash Bank 1
10:1000h 10:0FFFh	256 kByte I/O	10:1000h 10:0FFFh	256 kByte I/O
0C:1000h 0C:0FFFh	P6.4 (/CS4)	0C:1000h 0C:0FFFh	P6.4 (/CS4)
08:1000h 08:0FFFh	256 kByte I/O	08:1000h 08:0FFFh	256 kByte I/O
08:1000h 08:0FFFh	P6.3 (/CS3)	08:1000h 08:0FFFh	P6.3 (/CS3)
08:0000h 07:FFFFh	4 kByte external UART	08:0000h 07:FFFFh	4 kByte external UART
08:0000h 07:FFFFh	P6.2 (/CS2)	08:0000h 07:FFFFh	P6.2 (/CS2)
07:FFFFh 04:0000h	256 kByte RAM Bank U2/U3	07:FFFFh 04:0000h	256 kByte FLASH Bank U1
04:0000h 03:FFFFh	P6.1 (/CS1)	04:0000h 03:FFFFh	P6.0 (/CS0)
03:FFFFh 00:0000h	256 kByte FLASH Bank U1	03:FFFFh 00:0000h	256 kByte RAM Bank U2/U3
00:0000h	P6.0 (/CS0)	00:0000h	P6.1 (/CS1)

Figure 6: Memory Model Examples

5.1 Bus Timing

To enable connection of external memory components, the BUSCON register should be configured as follows:

BUSCON_x: 04AEh:

- 1 wait state
- read/write delay
- no tristate
- short ALE
- 16-bit demultiplexed
- address /CS_x active

This configuration is valid for all memory devices on the phyCORE-167CR/167CS with up to 70 ns access time. It activates a wait state and the read/write delay. The configuration of one wait state (1 wait state: $T_c = 50$ ns) and a read/write delay supports memory devices with up to 70 ns access time with a bus cycle of 150 ns.

6 Serial Interfaces

6.1 RS-232 Interface

One RS-232 transceiver is located on the phyCORE-167CR/167CS at U6. This device converts the signal levels for the P3.11/RxD0 and P3.10/TxD0 lines, as well as those of the second serial interface, P3.1/RxD1 and P3.0/TxD1 from TTL level to RS-232 level. Use of the optional UART on U7 requires changing the jumper settings for J13 and J14 to 2+3 (*refer to section 3.10*) in order to route the RxD and TxD signals to the transceiver. As an alternative, a second RS-232 interface can be established by software emulation on port P3.0 and P3.1 with J13 and J14 closed at position 2+3.

The RS-232 interface enables connection of the module to a COM port on a host-PC. In this instance the RxD0 line of the transceiver is connected to the TxD line of the COM port; while the TxD0 line is connected to the RxD line of the COM port. The Ground potential of the phyCORE-167CR/167CS circuitry needs to be connected to the applicable Ground pin on the COM port as well.

The microcontroller's on-chip UART does not support handshake signal communication. However, depending on user needs, handshake communication can be software emulated using port pins on the microcontroller. Use of an RS-232 signal level in support of handshake communication requires use of an external RS-232 transceiver not located on the module.

If the module is populated with a UART device at U7, a supplemental RS-232 transceiver can be mounted at position U5. This latter device enables RS-232 signal conversion of the handshake signals supported by the external UART.

Note:

Jumpers J21 and J22 must remain closed on the phyCORE-167CR/167CS. If they are open, no serial communication is possible, hence PHYTEC FlashTools or the BOOT monitor will not function properly.

6.2 CAN Interface

The phyCORE-167CR/167CS is designed to house two CAN transceivers at U11 and U12 (either PCA82C251 or Si9200EY). The CAN bus transceiver devices support signal conversion of the CAN transmit (CANTx) and receive (CANRx) lines. The CAN transceiver supports up to 110 nodes on a single CAN bus. Data transmission occurs with differential signals between CANH and CANL. A Ground connection between nodes on a CAN bus is not required, yet is recommended to better protect the network from electromagnetic interference (EMI). In order to ensure proper message transmission via the CAN bus, a 120 Ohm termination resistor must be connected to each end of the CAN bus.

For larger CAN bus systems, an external opto-coupler should be implemented to galvanically separate the CAN transceiver and the phyCORE-167CR/167CS. This requires the CANTx and CANRx lines to be separated from the on-board CAN transceivers by opening Jumpers J16, J17, J18, and J19. For connection of the CANTx and CANRx lines to an external transceiver we recommend using a Hewlett Packard HCPL06xx or a Toshiba TLP113 HCPL06xx fast opto-coupler. Parameters for configuring a proper CAN bus system can be found in the DS102 norms from the CiA¹ (CAN in Automation) User and Manufacturer's Interest Group.

Note:

If the C167CR controller populates the phyCORE module, using the CAN interface reduces the available address space to 1 MB for each /CS signal.

¹: CiA: CAN in Automation. Founded in March 1992, CiA provides technical, product and marketing information with the aim of fostering Controller Area Network's image and providing a path for future developments of the CAN protocol.

7 The Real-Time Clock RTC-8563 (U10)

For real-time or time-driven applications, the phyCORE-167CR/167CS is equipped with an RTC-8563 Real-Time Clock at U10. This RTC device provides the following features:

- Serial input/output bus (I²C)
- Power consumption
 - Bus active: max. 50 mA
 - Bus inactive, CLKOUT = 32 kHz : max. 1.7 μ A
 - Bus inactive, CLKOUT = 0 kHz : max. 0.75 μ A
- Clock function with four year calendar
- Century bit for year 2000-compliance
- Universal timer with alarm and overflow indication
- 24-hour format
- Automatic word address incrementing
- Programmable alarm, timer and interrupt functions

If the phyCORE-167CR/167CS is equipped with a battery, the Real-Time Clock runs independently of the board's power supply.

Programming the Real-Time Clock is done via the I²C bus (address 0 x A2 = 1010001), which is connected to port P3.4 (SCL) and port P3.3 (SDA). The Real-Time Clock also provides an interrupt output that extends to port P2.9 via Jumper J11. An interrupt occurs in case of a clock alarm, timer alarm, timer overflow and event counter alarm. An interrupt must be cleared by software. With the interrupt function, the Real-Time Clock can be utilized in various applications. *For more information on the features of the RTC-8563, refer to the corresponding Data Sheet.*

Note:

After connection of the supply voltage, or after a reset, the Real-Time Clock generates **no** interrupt. The RTC must first be initialized (*see RTC Data Sheet for more information*)

8 Serial EEPROM/FRAM (U9)

The phyCORE-167CR/167CS is populated with a non-volatile memory with a serial interface (I²C interface) to store configuration data. According to the memory configuration of the module, an EEPROM (4 to 32 kByte) or FRAM can be mounted at U9.

A description of the I²C memory protocol of the specific memory component at U9 can be found in the respective Data Sheet.

Table 21 gives an overview of the memory components that can be used at U9 at the time of printing of this manual.

Device Type	Size	Component	Manufacturer
EEPROM	4 kByte	24WC32	Catalyst, Microchip
	8 kByte	24WC64	Catalyst, Microchip
	32 kByte	24WC256	Microchip
FRAM	512 Byte	FM24C04	Ramtron
	8 kByte	FM24C64	Ramtron

Table 21: Memory Device Options for U9

Various available EEPROM/FRAM types provide a write protection function¹. Jumper J12 is used to activate this function. If this jumper is closed, then pin 7 of the serial EEPROM/FRAM is connected to VCC. Refer to section 3.9 for details on jumper settings for J12.

Jumper J15 configures the address of the serial EEPROM/FRAM. The default configuration (J15 = 2+3) sets the address to 0xA8. Refer to section 3.11 for details on jumper settings for J15.

¹: Refer to the corresponding EEPROM/FRAM Data Sheet for more information on the write protection function.

9 Remote Supervisory Chip (U8)

Space U8 is intended to be populated by a Remote Supervisory Chip¹. This IC can initiate a boot sequence via a serial interface, such as RS-232 or CAN. The RSC can start the PHYTEC FlashTools without requiring a manual release of the boot sequence on the phyCORE module applied via a BOOT jumper or button. This enables a remote controlled software update of the on-board Flash device.

This function can be controlled by various interfaces. Solder Jumper J20 configures the remote download source. The Remote Supervisory Chip is under development and not available at this time. Accordingly, Jumper J20 remains open in the default configuration.

Refer to section 3.13 for details on jumper settings for J20.

This feature will be available on future phyCORE modules.

¹: This feature is under development and not available at this time.

10 Flash Memory (U1)

Use of Flash as non-volatile memory on the phyCORE-167CR/167CS provides an easily reprogrammable means of code storage. The following Flash devices can populate the phyCORE-167CR/167CS:

- 29F200 with 1* 16 kByte, 2* 8 kByte, 1* 32 kByte, 3* 64 kByte
- 29F400 with 1* 16 kByte, 2* 8 kByte, 1* 32 kByte, 7* 64 kByte
- 29F800 with 1* 16 kByte, 2* 8 kByte, 1* 32 kByte, 15* 64 kByte
- 29F160 with 1* 16 kByte, 2* 8 kByte, 1* 32 kByte, 31* 64 kByte

These Flash devices are programmable with 5 V. No dedicated programming voltage is required.

Use of a Flash device as the only code memory results in no or only a limited usability of the Flash memory as non-volatile memory for data. This is due to the internal structure of the Flash device as, during the Flash-internal programming process, the reading of data from Flash is not possible. Hence, for Flash programming, program execution must be transferred out of Flash (such as into von Neumann RAM). This usually equals the interruption of a "normal" program execution cycle.

As of the printing of this manual, Flash devices generally have a life expectancy of at least 100.000 erase/program cycles.

11 Battery Buffer and Voltage Supervisor Chip (U13)

The battery that buffers the memory is not essential to the functioning of the phyCORE-167CR/167CS. However, this battery buffer embodies an economical and practical means of storing non-volatile data. It is necessary to preserve data from the Real-Time Clock in case of a power failure.

The VBAT input at pin X1C6 of the board is provided for connecting the external battery. The negative polarity pin on the battery must be connected to GND on the phyCORE-167CR/167CS. As of the printing of this manual, a lithium battery is recommended as it offers relatively high capacity at low discharge. In the event of a power failure at VCC, the RAM memory and the RTC will be buffered by a connected battery via VBAT. The RTC and the SRAM devices are generally supplied via VPD in order to preserve data by means of the battery back-up in the absence of a power supply via VCC.

The back-up battery is designed to buffer only SRAM devices as installed in the standard configuration of the module. The standard SRAM device has a power consumption of 1 μ A in Power Down mode. When installing a different SRAM device, ensure that the current draw in Power Down mode does not exceed 1 μ A. Faster SRAMs have an increased power consumption that can cause fast battery discharge.

Power consumption depends on the installed components and memory size (*see section 12, "Technical Specifications"*).

Note:


Be advised that despite the battery buffer, changes in the data content within the RAM can occur. The battery buffer does not completely remove the danger of data destruction.

The Voltage Supervisor Chip populating U13 controls switching between VCC supply and the back-up battery. Furthermore, the Voltage Supervisor Chip is used to generate a definite release of a reset signal if the supply voltage VCC drops below 4.65 V. This ensures the proper start-up of the microcontroller. The basic characteristics of this IC are described in the appropriate Data Sheet, which is available on the Spectrum CD.

All pins of the Voltage Supervisor Chip are routed to the phyCORE-connector. The VPD voltage is available on the OUT pin of the Voltage Supervisor Chip. In normal operation mode, this pin is supplied by VCC (via a diode). Additionally, VBAT is routed via the voltage divider R9/R10 to pin PFI. If VBAT = 3.3 V, a voltage of 1.65 V is available at PFI. If the voltage at PFI drops below 1.25 V, the signal /PFO is released. The signals WDI and /PFO are available at the phyCORE-connector pins X1D7 and X1C8.

12 Technical Specifications

The physical dimensions of the phyCORE-167CR/167CS are represented in *Figure 7*. The module's profile is ca. 6 mm thick, with a maximum component height of 2.0 mm on the backside of the PCB and approximately 2.5 mm on the front side. The board itself is approximately 1.5 mm thick.



Tolerance	a	b
in [mm]	0.20	0.05

Figure 7: Physical Dimensions

Additional specifications:

- Dimensions: 60 mm x 53 mm
- Weight: approximately 25 g with all optional components mounted on the circuit board
- Storage temperature: -40°C to +90°C
- Operating temperature: standard: 0°C to +70°C
extended: -40°C to +90°C
- Humidity: 95 % r.F. not condensed
- Operating voltage: 5 V ±5 %, VBAT 3 V ±20 %
- Power consumption: Conditions:
maximum 220 mA **VCC = 5 V, VBAT = 0 V,**
typical 110 mA 256 kByte RAM, 5 MHz quartz,
20°C
maximum 100 µA **VCC = 0 V, VBAT = 3 V,**
typical 2 µA (RAM) 20°C
typ. 1 µA Real-Time Clock

These specifications describe the standard configuration of the phyCORE-167CR/167CS as of the printing of this manual.

Please note that the module storage temperature is only 0°C to +70°C if a battery buffer is used for the RAM devices.

13 Hints for Handling the phyCORE-167CR/167CS

All C167 compatible controllers (C167CR, C167CS, etc.) can populate the phyCORE-167CR/167CS module at U4. Please note that, if using a C167Cx derivative with an active CAN interface via port 4, only 20 external address lines (A0...A19) and 1 MB of address space is available on the module. These constraints can be avoided by relocating the CAN interface to port 8¹ (*see controller User's Manual and Data Sheet for details*).

In order to activate the address lines A18...A23 (for more than 256 kByte Flash) the configuration resistors at data lines D12 and D11 of the module must be pulled to GND level (*see section 4, "System Configuration"*).

The address and data bus on the module is not buffered. To connect external components to the data/address bus, as well as the control lines (/RD, /WR), an external buffer (i.e. 74AHCT245) between the modul and the peripheral components should be installed.

The data bus D0...15 (Port 0) should be connected with a 100 k Ω pull-up resistor against VCC. Furthermore, precautions should be taken to allow connection of configuration resistor against GND directly to port 0 (pin 0...15). This enables startup of the C167CR/C167CS in various configurations since these specific pins are latched during reset (*see controller User's Manual and section 4, "System Configuration"*).

The /NMI input is connected with a pull-up resistor (10 k Ω) against VCC. This enables activation of the NMI signal by means of a high-low signal transition. This can be realized with a push button (switching to GND) and is useful during software development if e.g. a Monitor program is used (*see Monitor User's Manual*).

¹ This function is only available with Infineon's C167CS microcontroller.

Removal of various components, such as the microcontroller and the standard quartz, is not advisable given the compact nature of the module. Should this nonetheless be necessary, please ensure that the board as well as surrounding components and sockets remain undamaged while desoldering. Overheating the board can cause the solder pads to loosen, rendering the module inoperable. Carefully heat neighboring connections in pairs. After a few alternations, components can be removed with the solder-iron tip. Alternatively, a hot air gun can be used to heat and loosen the bonds.

14 The phyCORE-167CR/167CS on the phyCORE Development Board HD200

PHYTEC Development Boards are fully equipped with all mechanical and electrical components necessary for the speedy and secure start-up and subsequent communication to and programming of applicable PHYTEC Single Board Computer (SBC) modules. Development Boards are designed for evaluation, testing and prototyping of PHYTEC Single Board Computers in laboratory environments prior to their use in customer designed applications.

14.1 Concept of the phyCORE Development Board HD200

The phyCORE Development Board HD200 provides a flexible development platform enabling quick and easy start-up and subsequent programming of the phyCORE-167CR/167CS Single Board Computer module. The Development Board design allows easy connection of additional expansion boards featuring various functions that support fast and convenient prototyping and software evaluation.

This modular development platform concept is depicted in *Figure 8* and includes the following components:

- The actual **Development Board** (1), which offers all essential components and connectors for start-up including: a power socket enabling connection to an **external power adapter** (2) and **serial interfaces** (3) of the SBC module at DB-9 connectors (depending on the module, up to two RS-232 interfaces and up to two RS-485 or CAN interfaces).
- All of the signals from the SBC module mounted on the Development Board extend to two mating receptacle connectors. A strict 1:1 signal assignment is consequently maintained from the phyCORE-connectors on the module to these expansion connectors. Accordingly, the pin assignment of the **expansion bus** (4) depends entirely on the pinout of the SBC module mounted on the Development Board.

- As the physical layout of the expansion bus is standardized across all applicable PHYTEC Development Boards, we are able to offer various **expansion boards** (5) that attach to the Development Board at the expansion bus connectors. These modular expansion boards offer **supplemental I/O functions** (6) as well as peripheral support devices for specific functions offered by the controller populating the **SBC module** (9) mounted on the Development Board.
- All controller and on-board signals provided by the SBC module mounted on the Development Board are broken out 1:1 to the expansion board by means of its **patch field** (7). The required connections between SBC module / Development Board and the expansion board are made using **patch cables** (8) included with the expansion board.

Figure 8 illustrates the modular development platform concept:




Figure 8: *Modular Development and Expansion Board Concept with the phyCORE-167CR/167CS*

The following sections contain specific information relevant to the operation of the phyCORE-167CR/167CS mounted on the phyCORE Development Board HD200. For a general description of the Development Board, *please refer to the corresponding Development Board Hardware Manual.*

14.2 Development Board HD200 Connectors and Jumpers

14.2.1 Connectors

As shown in *Figure 9* the following connectors are available on the phyCORE Development Board HD200:

- X1- low-voltage socket for power supply connectivity
- X2- mating receptacle for expansion board connectivity
- P1- dual DB-9 sockets for serial RS-232 interface connectivity
- P2- dual DB-9 connectors for CAN or RS-485 interface connectivity
- X4- voltage supply for external devices and subassemblies
- X5- GND connector (for connection of GND signal of measuring devices such as an oscilloscope)
- X6- phyCORE-connector enabling mounting of applicable phyCORE modules
- U9/U10- space for an optional silicon serial number chip
- BAT1- receptacle for an optional battery




Figure 9: Location of Connectors on the phyCORE Development Board HD200

Please note that all module connections are not to exceed their expressed maximum voltage or current. Maximum signal input values are indicated in the corresponding controller User's Manual/Data Sheets. As damage from improper connections varies according to use and application, it is the user's responsibility to take appropriate safety measures to ensure that the module connections are protected from overloading through connected peripherals.

14.2.2 Jumpers on the phyCORE Development Board HD200

Peripheral components of the phyCORE Development Board HD200 can be connected to the signals of the phyCORE-167CR/167CS by setting the applicable jumpers.

The Development Board's peripheral components are configured for use with the phyCORE-167CR/167CS by means of insertable jumpers. If no jumpers are set, no signals connect to the DB-9 connectors, the control and display units and the CAN transceivers. The Reset input on the phyCORE-167CR/167CS directly connects to the Reset button (S2). *Figure 10* illustrates the numbering of the jumper pads, while *Figure 11* indicates the location of the jumpers on the Development Board.




Figure 10: Numbering of Jumper Pads




Figure 11: Location of the Jumpers (View of the Component Side)

Figure 12 shows the factory default jumper settings for operation of the phyCORE Development Board HD200 with the standard phyCORE-167CR/167CS (standard = C167CR controller, use of the RS-232 interface, the optional UART interface, the CAN interface, LED D3, the Boot button on the Development Board). Jumper settings for other functional configurations of the phyCORE-167CR/167CS module mounted on the Development Board are described in section 14.3.




Figure 12: Default Jumper Settings of the phyCORE Development Board HD200 with phyCORE-167CR/167CS

14.2.3 Unsupported Features and Improper Jumper Settings

The following table contains improper jumper settings for operation of the phyCORE-167CR/167CS on a phyCORE Development Board HD200. Functions configured by these settings are not supported by the phyCORE module.

Supply Voltage:

The phyCORE Development Board HD200 supports two main supply voltages for the start-up of various phyCORE modules. When using the phyCORE-167CR/167CS, only one main supply voltage is required, VCC1 with 5 V. The connector pins for a second supply voltage on the phyCORE-167CR/167CS are not defined.

Jumper	Setting	Description
JP16	1 + 2	5 V routed to pins X1C4 and X1C5 on the phyCORE-167CR/167CS
JP16	2 + 3	3.3 V (2.5 V) routed to pins X1C4 and X1C5 on the phyCORE-167CR/167CS

Table 22: Improper Jumper Setting for JP16 on the Development Board

No RS-485 interface:

DB-9 plug P2B on the Development Board can be configured as RS-485 interface as an alternative to a possible second CAN interface. The phyCORE-167CR/167CS does not support an RS-485 interface. For this reason the corresponding jumper settings should never be used.

Jumper	Setting	Description
JP30	closed	TxD signal for second serial interface routed to pin 8 on the DB-9 plug P2B
JP33	1 + 2	RxD signal for second serial interface routed to pin 2 on the DB-9 plug P2B

Table 23: Improper Jumper Setting for JP30/33 on the Development Board

Reference Voltage Source for A/D Converter

Pins X1C42, X1C47, X1D39, X1D44 and X1D49 (VAGND) of the phyCORE-167CR/167CS are solely connected with the phyCORE Development Board HD200 GND potential. This makes a separate supply with an alternative VAGND potential impossible. Jumper J5 on the phyCORE-167CR/167CS is therefore without function when the module is mounted on a Development Board HD200. Free definition of the VAGND potential is however available in a customer application board.

14.3 Functional Components on the phyCORE Development Board HD200

This section describes the functional components of the phyCORE Development Board HD200 supported by the phyCORE-167CR/167CS and appropriate jumper settings to activate these components. Depending on the specific configuration of the phyCORE-167CR/167CS module, alternative jumper settings can be used. These jumper settings are different from the factory default settings as shown in *Figure 12* and enable alternative or additional functions on the phyCORE Development Board HD200 depending on user needs.

14.3.1 Power Supply at X1

Caution:

Do not use a laboratory adapter to supply power to the Development Board! Power spikes during power-on could destroy the phyCORE module mounted on the Development Board! Do not change modules or jumper settings while the Development Board is supplied with power!

Permissible input voltage: +/-5 VDC regulated.

The required current load capacity of the power supply depends on the specific configuration of the phyCORE-167CR/167CS mounted on the Development Board as well as whether an optional expansion board is connected to the Development Board. An adapter with a minimum supply of 500 mA is recommended.

Jumper	Setting	Description
JP9	2 + 3	5 V main supply voltage to the phyCORE-167CR/167CS

Table 24: JP9 Configuration of the Main Supply Voltage VCC




Figure 13: Connecting the Supply Voltage at X1

Caution:

When using this function, the following jumper settings are not allowed:

Jumper	Setting	Description
JP9	1 + 2	3.3 V as main supply voltage for the phyCORE-167CR/167CS
	open	phyCORE-167CR/167CS not connected to main supply voltage

Table 25: JP9 Improper Jumper Settings for the Main Supply Voltage

Setting Jumper JP9 to positions 1+2 configures a main power supply to the phyCORE-167CR/167CS of 3.3 V which could destroy the module. If Jumper JP9 is open, no main power supply is connected to the phyCORE-167CR/167CS. This jumper setting should therefore not be used.

14.3.2 Activating the Bootstrap Loader

The Infineon C167Cx microcontroller contains an on-chip Bootstrap Loader that provides basic communication and programming functions. The combination of this Bootstrap Loader and the corresponding FlashTools software installed on the PC allows for Flash programming with application code via an RS-232 interface. The Bootstrap Loader is also used by other third party toolpartner software such as the Monitor166 from Keil or CrossView Pro ROM monitor from Altium for debugging functions.

In order to start the on-chip Bootstrap Loader on the phyCORE-167CR/167CS, the data line D4 of the microcontroller must be connected to a low-level signal at the time the Reset signal changes from its active to the inactive state. This is achieved by applying a high-level signal at pin X1C9 of the phyCORE-167CR/167CS as the Boot input is high-active.

The phyCORE Development Board HD200 provides three different options to activate the on-chip Bootstrap Loader:

1. The Boot button (S1) can be connected to VCC via Jumper JP28 which is located next to the Boot and Reset buttons at S1 and S2. This configuration enables start-up of the on-chip Bootstrap Loader if the Boot button is pressed during a hardware reset or power-on.

Jumper	Setting	Description
JP28	6 + 8 and 3 + 4	Boot button (in conjunction with Reset button or connection of the power supply) starts the Bootstrap Loader on the C167CR/C167CS

Table 26: JP28 Configuration of the Boot Button

- The Boot input of the phyCORE-167CR/167CS can also be permanently connected to VCC via a pull-up resistor. This pulls the data line D4 to low level via an on-board circuitry which then starts the Bootstrap Loader. This spares pushing the Boot button during a hardware reset or power-on.

Caution:

In this configuration a regular reset, hence normal start of your application, is not possible. The Bootstrap Loader is started every time. This is useful when using an emulator.

Jumper	Setting	Description
JP28	4 + 6	Boot input connected permanently with VCC via pull-up resistor. The Bootstrap Loader is always started with Reset button or with connection of the power supply

Table 27: JP28 Configuration of a Permanent Bootstrap Loader Start

- It is also possible to start the FlashTools via external signals applied to the DB-9 socket P1A. This requires control of the signal transition on the Reset line via pin 7 while a static high-level is applied to pin 4 for the Boot signal.

Jumper	Setting	Description
JP22	2 + 3	Pin 7 (CTS) of the DB-9 socket P1A as Reset signal for the phyCORE-167CR/167CS
JP23	2 + 3	Pin 4 (DSR) of the DB-9 socket P1A as Boot signal for the phyCORE-167CR/167CS
JP10	2 + 3	High-level Boot signal connected with the Boot input of the phyCORE-167CR/167CS

Table 28: JP22, JP23, JP10 Configuration of Boot via RS-232

Caution:

When using this function, the following jumper setting is not allowed:

Jumper	Setting	Description
JP10	1 + 2	Jumper setting generates low-level on Boot input of the phyCORE-167CR/167CS

Table 29: Improper Jumper Settings for Boot via RS-232

14.3.3 First Serial Interface at Socket P1A

Socket P1A is the lower socket of the double DB-9 connector at P1. P1A is connected via jumpers to the first serial interface of the phyCORE-167CR/167CS. When connected to a host-PC, the phyCORE-167CR/167CS can be rendered in Bootstrap mode via signals applied to the socket P1A (refer to section 14.3.2).

Jumper	Setting	Description
JP20	closed ¹	Pin 2 of DB-9 socket P1A connected with RS-232 interface signal TxD0 of the phyCORE-167CR/167CS
JP21	open	Pin 9 of DB-9 socket P1A not connected
JP22	open	Pin 7 of DB-9 socket P1A not connected
	2 + 3 ²	Reset input of the module can be controlled via RTS signal from a host-PC
JP23	open	Pin 4 of DB-9 socket P1A not connected
	2 + 3 ²	Boot input of the module can be controlled via DTR signal from a host-PC (Note: JP10 must be set to position 2 + 3)
JP24	open	Pin 6 of DB-9 socket P1A not connected
JP25	open	Pin 8 of DB-9 socket P1A not connected
JP26	open	Pin 1 of DB-9 socket P1A not connected
JP27	closed ¹	Pin 3 of DB-9 socket P1A connected with RS-232 interface signal RxD0 from the phyCORE-167CR/167CS

Table 30: Jumper Configuration for the First RS-232 Interface




Figure 14: Pin Assignment of the DB-9 Socket P1A as First RS-232 (Front View)

¹: This jumper should always be closed because communication with PHYTEC FlashTools requires use of the first serial interface on the phyCORE module.
²: Alternative jumper configuration for additional features (refer to section 14.3.2). Not required for standard communication functions.

Caution:

When using the DB-9 socket P1A as RS-232 interface on the phyCORE-167CR/167CS the following jumper settings are not functional and could damage the module:

Jumper	Setting	Description
JP20	open	Pin 2 of DB-9 socket P1A not connected, no connection to TxD0 signal from phyCORE-167CR/167CS
JP21	closed	Pin 9 of DB-9 socket P1A connected with port P8.2 from phyCORE-167CR/167CS
JP22	1 + 2	Pin 7 of DB-9 socket P1A connected with port P2.15 from phyCORE-167CR/167CS
JP23	1 + 2	Pin 4 of DB-9 socket P1A connected with port P8.0 from phyCORE-167CR/167CS
JP24	1 + 2	Pin 6 of DB-9 socket P1A connected with port P8.1 from phyCORE-167CR/167CS
	2 + 3	Pin 6 of DB-9 socket P1A connected with VOUT from the Development Board HD200
JP25	closed	Pin 8 of DB-9 socket P1A connected with port P2.14 from phyCORE-167CR/167CS
JP26	closed	Pin 1 of DB-9 socket P1A connected with port P8.3 from phyCORE-167CR/167CS
JP27	open	Pin 3 of DB-9 socket P1A not connected, no connection to RxD0 signal from phyCORE-167CR/167CS

Table 31: Improper Jumper Settings for DB-9 Socket P1A as First RS-232

If an RS-232 cable is connected to P1A, the voltage level on the RS-232 lines could destroy the phyCORE-167CR/167CS.

14.3.4 Power Supply to External Devices via Socket P1A

The phyCORE Development Board HD200 can be populated by additional components that provide a supply voltage of 5 V at pin 6 of DB-9 socket P1A. This allows for easy and secure supply of external devices connected to P1A. This power supply option especially supports connectivity to analog and digital modems. Such modem devices enable global communication of the phyCORE-167CR/167CS over the Internet or a direct dial connection.

The following figure shows the location of these components on the Development Board:




Figure 15: Location of Components at U12 and U13 for Power Supply to External Subassemblies

The components at U12 and U13 guarantee electronic protection against overvoltage and excessive current draw at pin 6 of P1A; in particular:

- Load detection and controlled voltage supply switch-on:
In order to ensure clear detection of the switch-on condition, the connected device should cause a current draw of at least 10 mA at pin 6. The controlled voltage supply switch-on prevents voltage drop off on the phyCORE Development Board HD200.
- Overvoltage Protection:
If the voltage at pin 6 exceeds the limiting value that can be provided by the phyCORE Development Board HD200, the voltage at pin 6 will be switched off immediately. This prevents damage to the phyCORE Development Board HD200 as well as connected modules and expansion boards.
- Overload Protection:
If the current draw at pin 6 exceeds the limiting value of approximately 150 mA, the voltage at pin 6 will be switched off immediately. This prevents damage to the phyCORE Development Board HD200 and its power adapter caused by current overload.

This configuration option provides the following possibility:

Jumper	Setting	Description
JP24	2 + 3	Electronically protected 5 V at pin 6 for supply of external devices connected to P1A

Table 32: *JP24 Power Supply to External Devices Connected to P1A on the Development Board*

14.3.5 Second Serial Interface at Socket P1B

Socket P1B is the upper socket of the double DB-9 connector at P1. P1B is connected via jumpers to the second serial interface of the phyCORE-167CR/167CS. Depending on the module configuration (refer to section 3.10) and the available order option (optional UART populates the module, PCM-009-Cx-U) three different options are available for configuration of socket P1B:

1. The phyCORE-167CR/167CS is **NOT** populated with the optional **UART** at U7 (standard PCM-009-Cx) and no serial interface emulation with port pins P3.0 and P3.1.

Jumper	Setting	Description
JP1	open	Pin 2 of DB-9 socket P1B not connected
JP2	open	Pin 9 of DB-9 socket P1B not connected
JP3	open	Pin 7 of DB-9 socket P1B not connected
JP4	open	Pin 4 of DB-9 socket P1B not connected
JP5	open	Pin 6 of DB-9 socket P1B not connected
JP6	open	Pin 8 of DB-9 socket P1B not connected
JP7	open	Pin 1 of DB-9 socket P1B not connected
JP8	open	Pin 3 of DB-9 socket P1B not connected

Table 33: Jumper Configuration of the DB-9 Socket P1B (no Second RS-232)

In this configuration no second serial interface is available.

Caution:

When using the DB-9 socket P1B with the configuration of the phyCORE-167CR/167CS as described above the following jumper settings are not functional and could damage the module:

Jumper	Setting	Description
JP1	closed	No TxD1_RS232 signal available from the phyCORE-167CR/167CS (P1B pin 2)
JP2	closed	No RI1_TTL signal available from the phyCORE-167CR/167CS (P1B pin 9)
JP3	closed	No CTS1_RS232 signal available from the phyCORE-167CR/167CS (P1B pin 7)
JP4	closed	No DSR1_RS232 signal available from the phyCORE-167CR/167CS (P1B pin 4)
JP5	closed	No DTR1_RS232 signal available from the phyCORE-167CR/167CS (P1B pin 6)
JP6	closed	No RTS1_RS232 signal available from the phyCORE-167CR/167CS (P1B pin 8)
JP7	closed	No CD1_RS232 signal available from the phyCORE-167CR/167CS (P1B pin 1)
JP8	closed	No RxD1_RS232 signal available from the phyCORE-167CR/167CS (P1B pin 3)

Table 34: *Improper Jumper Settings for DB-9 Socket P1B (no Second RS-232)*

If an RS-232 cable is connected to P1B by mistake, the voltage level on the RS-232 lines could destroy the phyCORE-167CR/167CS.

2. The phyCORE-167CR/167CS is populated with the optional **UART** at U7 (order option PCM-009-Cx-U).

If the phyCORE-167CR/167CS is purchased with the optional UART a full second RS-232 interface can be made available at DB-9 socket P1B with the jumper settings listed below.

Jumper	Setting	Description
JP1	closed	Pin 2 at P1B is connected with TxD1_RS232 signal
	open	Pin 2 of DB-9 socket P1B not connected
JP2	closed	Pin 9 at P1B is connected with RI1_TTL signal from UART U7
	open	Pin 9 of DB-9 socket P1B not connected
JP3	closed	Pin 7 at P1B is connected with CTS1_RS232 signal
	open	Pin 7 of DB-9 socket P1B not connected
JP4	closed	Pin 4 at P1B is connected with DSR1_RS232
	open	Pin 4 of DB-9 socket P1B not connected
JP5	closed	Pin 6 at P1B is connected with DTR1_RS232
	open	Pin 6 of DB-9 socket P1B not connected
JP6	closed	Pin 8 at P1B is connected with RTS1_RS232
	open	Pin 8 of DB-9 socket P1B not connected
JP7	closed	Pin 1 at P1B is connected with DCD1_RS232
	open	Pin 1 of DB-9 socket P1B not connected
JP8	closed	Pin 3 at P1B is connected with RxD1_RS232
	open	Pin 3 of DB-9 socket P1B not connected

Table 35: Jumper Configuration of the DB-9 Socket P1B (UART, 2nd RS-232)




Figure 16: Pin Assignment of the DB-9 Socket P1B as Second RS-232 (UART populated, Front View)

3. The phyCORE-167CR/167CS is **NOT** populated with the optional **UART** at U7 (standard PCM-009-Cx), however serial interface emulation¹ with port pins P3.0 and P3.1 is used.

Jumper	Setting	Description
JP1	closed	Port pin P3.0 of the C167Cx emulates TxD1 signal which extends via jumpers to RS-232 transceiver U6 on the phyCORE-167CR/167CS, connects to pin 2 at P1B
JP2	open	Pin 9 of DB-9 socket P1B not connected
JP3	open	Pin 7 of DB-9 socket P1B not connected
JP4	open	Pin 4 of DB-9 socket P1B not connected
JP5	open	Pin 6 of DB-9 socket P1B not connected
JP6	open	Pin 8 of DB-9 socket P1B not connected
JP7	open	Pin 1 of DB-9 socket P1B not connected
JP8	closed	Port pin P3.1 of the C167Cx emulates TxD1 signal which extends via jumpers to RS-232 transceiver U6 on the phyCORE-167CR/167CS, connects to pin 3 at P1B

Table 36: Jumper Configuration of the DB-9 Socket P1B (2nd RS-232 via Software Emulation)




Figure 17: Pin Assignment of the DB-9 Socket P1B as Emulated RS-232 (Front View)

¹: Serial interface emulation requires special software drivers which are usually included in the corresponding development tools such as Debugger, Monitor programs etc.

Caution:

If the phyCORE-167CR/167CS is **NOT** populated with the optional **UART** at U7 (standard PCM-009-Cx) and the DB-9 socket P1B is used as described above the following jumper settings are not functional and could damage the module:

Jumper	Setting	Description
JP2	closed	No RI1_TTL signal available from the phyCORE-167CR/167CS (P1B pin 9)
JP3	closed	No CTS1_RS232 signal available from the phyCORE-167CR/167CS (P1B pin 7)
JP4	closed	No DSR1_RS232 signal available from the phyCORE-167CR/167CS (P1B pin 4)
JP5	closed	No DTR1_RS232 signal available from the phyCORE-167CR/167CS (P1B pin 6)
JP6	closed	No RTS1_RS232 signal available from the phyCORE-167CR/167CS (P1B pin 8)
JP7	closed	No CD1_RS232 signal available from the phyCORE-167CR/167CS (P1B pin 1)

Table 37: Improper Jumper Settings for DB-9 Socket P1B (2nd RS-232 via Software Emulation)

14.3.6 First CAN Interface at Plug P2A

Plug P2A is the lower plug of the double DB-9 connector at P2. P2A is connected to the first CAN interface (CAN0) of the phyCORE-167CR/167CS via jumpers. Depending on the configuration of the CAN transceivers and their power supply, the following three configurations are possible:

1. CAN transceiver populating the phyCORE-167CR/167CS is enabled and the CAN signals from the module extend directly to plug P2A.

Jumper	Setting	Description
JP31	2 + 3	Pin 2 of the DB-9 plug P2A is connected to CAN-L0 from on-board transceiver on the phyCORE module
JP32	2 + 3	Pin 7 of the DB-9 plug P2A is connected to CAN-H0 from on-board transceiver on the phyCORE module
JP11	open	Input at opto-coupler U4 on the phyCORE Development Board HD200 open
JP12	open	Output at opto-coupler U5 on the phyCORE Development Board HD200 open
JP13	open	No supply voltage to CAN transceiver and opto-coupler on the phyCORE Development Board HD200
JP18	open	No GND potential at CAN transceiver and opto-coupler on the phyCORE Development Board HD200
JP29	open	No power supply via CAN bus
JP39	open	No power supply via CAN bus

Table 38: Jumper Configuration for CAN Plug P2A using the CAN Transceiver on the phyCORE-167CR/167CS




Figure 18: Pin Assignment of the DB-9 Plug P2A (CAN Transceiver on phyCORE-167CR/167CS, Front View)

2. The CAN transceiver populating the phyCORE-167CR/167CS is disabled; CAN signals generated by the CAN transceiver (U2) on the Development Board extending to connector P2A **without galvanic separation**:

Jumper	Setting	Description
JP31	1 + 2	Pin 2 of DB-9 plug P2A connected with CAN-L0 from CAN transceiver U2 on the Development Board
JP32	1 + 2	Pin 7 of DB-9 plug P2A connected with CAN-H0 from CAN transceiver U2 on the Development Board
JP11	2 + 3	Input at opto-coupler U4 on the Development Board connected to CAN1_Tx (P4.6 ¹) of the C167CR/167CS
	1 + 2	Input at opto-coupler U4 on the Development Board connected to CAN1_Tx (P8.1 ²) of the C167CR/167CS
JP12	2 + 3	Output at opto-coupler U5 on the Development Board connected to CAN1_Rx (P4.5 ³) of the C167CR/167CS
	1 + 2	Output at opto-coupler U5 on the Development Board connected to CAN1_Rx (P8.0 ⁴) of the C167CR/167CS
JP13	2 + 3	Supply voltage for CAN transceiver and opto-coupler derived from local supply circuitry on the phyCORE Development Board HD200
JP18	closed	CAN transceiver and opto-coupler on the Development Board connected with local GND potential
JP29	open	No power supply via CAN bus
JP39	open	No power supply via CAN bus

Table 39: Jumper Configuration for CAN Plug P2A using the CAN Transceiver on the Development Board




Figure 19: Pin Assignment of the DB-9 Plug P2A (CAN Transceiver on Development Board)

- 1: Port P4.6 is the default port for CAN1_Tx (standard).
- 2: Port P8.1 is the alternative port for CAN1_Tx (see Controller User's Manual/Data Sheet).
- 3: Port P4.5 is the default port for CAN1_Rx (standard).
- 4: Port P8.0 is the alternative port for CAN1_Rx (see Controller User's Manual/Data Sheet).

Caution:

When using the DB-9 connector P2A as CAN interface and the CAN transceiver on the Development Board the following jumper settings are not functional and could damage the module:

Jumper	Setting	Description
JP31	2 + 3	Pin 2 of DB-9 plug P2A connected with CAN-L0 from on-board transceiver on the phyCORE-167CR/167CS
JP32	2 + 3	Pin 7 of DB-9 plug P2A connected with CAN-H0 from on-board transceiver on the phyCORE-167CR/167CS
JP11	2 + 4	Input at opto-coupler U4 on the Development Board is connected to CAN-H0 from on-board transceiver of the phyCORE-167CR/167CS
	Open	Input at opto-coupler U4 on the Development Board not connected
JP12	2 + 4	Output at opto-coupler U5 on the Development Board is connected to CAN-L0 from on-board transceiver of the phyCORE-167CR/167CS
	Open	Output at opto-coupler U5 on the Development Board not connected
JP13	1 + 2	Supply voltage for CAN transceiver and opto-coupler on the Development Board derived from external source (CAN bus) via on-board voltage regulator
JP29	Closed	Supply voltage for on-board voltage regulator from pin 9 of DB-9 connector P2A
JP39	see Table 42	CAN bus supply voltage reduction for CAN circuitry

Table 40: *Improper Jumper Settings for the CAN Plug P2A (CAN Transceiver on the Development Board)*

3. The CAN transceiver populating the phyCORE-167CR/167CS is disabled; CAN signals generated by the CAN transceiver (U2) on the Development Board extend to connector P2A **with galvanic separation**. This configuration requires connection of an external CAN supply voltage of 7 to 13 V. The external power supply must be **only** connected to either P2A or P2B.

Jumper	Setting	Description
JP31	1 + 2	Pin 2 of DB-9 plug P2A connected with CAN-L0 from CAN transceiver U2 on the Development Board
JP32	1 + 2	Pin 7 of DB-9 plug P2A connected with CAN-H0 from CAN transceiver U2 on the Development Board
JP11	2 + 3	Input at opto-coupler U4 on the Development Board connected to CAN1_Tx (P4.6 ¹) of the C167CR/167CS
	1 + 2	Input at opto-coupler U4 on the Development Board connected to CAN1_Tx (P8.1 ²) of the C167CR/167CS
JP12	2 + 3	Output at opto-coupler U5 on the Development Board connected to CAN1_Rx (P4.5 ³) of the C167CR/167CS
	1 + 2	Output at opto-coupler U5 on the Development Board connected to CAN1_Rx (P8.0 ⁴) of the C167CR/167CS
JP13	1 + 2	Supply voltage for CAN transceiver and opto-coupler on the Development Board derived from external source (CAN bus) via on-board voltage regulator
JP18	open	CAN transceiver and opto-coupler on the Development Board disconnected from local GND potential
JP29	closed	Supply voltage for on-board voltage regulator from pin 9 of DB-9 plug P2A
JP39	see Table 42	CAN bus supply voltage reduction for CAN circuitry

Table 41: Jumper Configuration for CAN Plug P2A using the CAN Transceiver on the Development Board with Galvanic Separation

-
- 1: Port P4.6 is the default port for CAN1_Tx (standard).
 2: Port P8.1 is the alternative port for CAN1_Tx (see Controller User's Manual/Data Sheet).
 3: Port P4.5 is the default port for CAN1_Rx (standard).
 4: Port P8.0 is the alternative port for CAN1_Rx (see Controller User's Manual/Data Sheet).




Figure 20: Pin Assignment of the DB-9 Plug P2A (CAN Transceiver on Development Board with Galvanic Separation)

CAN Bus Voltage Supply Reduction via JP39:

Depending on the voltage level that is supplied over the CAN bus at P2A or P2B (VCAN_IN1+) JP39 must be configured in order to route the applicable voltage to the CAN voltage regulator at U8 on the Development Board:

VCAN_IN+	JP39
7 V..18 V	1 + 2
18 V..23 V	2 + 3
23 V..28 V	open

Table 42: JP39 CAN Bus Voltage Supply Reduction




Figure 21: Pin Assignment of the DB-9 Plug P2A (CAN Transceiver on Development Board with Galvanic Separation)

Caution:

When using the DB-9 plug P2A as CAN interface, and the CAN transceiver on the Development Board with galvanic separation, the following jumper settings are not functional and could damage the module:

Jumper	Setting	Description
JP31	2 + 3	Pin 2 of DB-9 plug P2A connected with CAN-L0 from on-board transceiver on the phyCORE-167CR/CS
JP32	2 + 3	Pin 7 of DB-9 plug P2A connected with CAN-H0 from on-board transceiver on the phyCORE-167CR/CS
JP11	2 + 4	Input at opto-coupler U4 on the Development Board is connected to CAN-H0 from on-board transceiver on the phyCORE-167CR/CS
	open	Input at opto-coupler U4 on the Development Board not connected
JP12	2 + 4	Output at opto-coupler U5 on the Development Board is connected to CAN-L0 from on-board transceiver on the phyCORE-167CR/CS
	open	Output at opto-coupler U5 on the Development Board not connected
JP13	2 + 3	Supply voltage for CAN transceiver and opto-coupler derived from local supply circuitry on the phyCORE Development Board HD200
JP18	closed	CAN transceiver and opto-coupler on the Development Board connected with local GND potential
JP29	open	No power supply via CAN bus
JP39	see Table 42	Incorrect CAN bus supply voltage reduction for CAN circuitry

Table 43: *Improper Jumper Settings for the CAN Plug P2A (CAN Transceiver on Development Board with Galvanic Separation)*

14.3.7 Second CAN Interface at Plug P2B

Plug P2B is the upper plug of the double DB-9 connector at P2. P2b is connected to the second CAN interface (CAN1) of the phyCORE-167CS via jumpers. This option is only available if the phyCORE module is populated with the Infineon C167CS (order option PCM-009-C1). Depending on the configuration of the CAN transceivers and their power supply, the following three configurations are possible:

1. CAN transceiver populating the phyCORE-167CS is enabled and the CAN signals from the module extend directly to plug P2B.

Jumper	Setting	Description
JP33	2 + 4	Pin 2 of the DB-9 plug P2B is connected to CAN-L1 from on-board transceiver on the phyCORE module
JP34	2 + 3	Pin 7 of the DB-9 plug P2B is connected to CAN-H1 from on-board transceiver on the phyCORE module
JP14	open	Input at opto-coupler U6 on the phyCORE Development Board HD200 open
JP15	open	Output at opto-coupler U7 on the phyCORE Development Board HD200 open
JP13	open	CAN transceiver and opto-coupler on the Development Board disconnected from supply voltage
JP18	open	No GND potential at CAN transceiver and opto-coupler on the phyCORE Development Board HD200
JP29	open	No power supply via CAN bus
JP39	open	No power supply via CAN bus

Table 44: Jumper Configuration for CAN Plug P2B using the CAN Transceiver on the phyCORE-167CS




Figure 22: Pin Assignment of the DB-9 Plug P2B (CAN Transceiver on phyCORE-167CS, only with C167CS)

2. The CAN transceiver populating the phyCORE-167CS is disabled; CAN signals generated by the CAN transceiver (U3) on the Development Board extending to connector P2B **without galvanic separation**:

Jumper	Setting	Description
JP33	2 + 3	Pin 2 of the DB-9 plug P2B is connected to CAN-L1 from CAN transceiver U3 of the Development Board HD200
JP34	1 + 2	Pin 7 of the DB-9 plug P2B is connected to CAN-H1 from CAN transceiver U3 of the Development Board HD200
JP14	2 + 3	Input at opto-coupler U6 on the Development Board connected to CAN2_Tx (P4.7 ¹) of the C167CS
	1 + 2	Input at opto-coupler U6 on the Development Board connected to CAN2_Tx (P8.3 ²) of the C167CS
JP15	2 + 3	Output at opto-coupler U7 on the Development Board connected to CAN2_Rx (P4.4 ³) of the C67CS
	1 + 2	Output at opto-coupler U7 on the Development Board connected to CAN2_Rx (P8.2 ⁴) of the C167CS
JP13	closed	CAN transceiver and opto-coupler on the Development Board connected with 5V supply voltage
JP18	closed	GND potential at CAN transceiver and opto-coupler on the phyCORE Development Board HD200
JP29	open	No power supply via CAN bus
JP39	open	No power supply via CAN bus

Table 45: Jumper Configuration for CAN Plug P2B using the CAN Transceiver on the Development Board HD200 without galvanic separation




Figure 23: Pin Assignment of the DB-9 Plug P2B (CAN Transceiver on Development Board, only with C167CS)

- 1: Port P4.7 is the default port for CAN2_Tx (standard).
 2: Port P8.3 is the alternative port for CAN2_Tx (see C167CS User's Manual/Data Sheet).
 3: Port P4.4 is the default port for CAN2_Rx (standard).
 4: Port P8.2 is the alternative port for CAN2_Rx (see C167CS User's Manual/Data Sheet).

Caution:

When using the DB-9 connector P2B as second CAN interface and the CAN transceiver on the Development Board the following jumper settings are not functional and could damage the module:

Jumper	Setting	Description
JP30	closed	Pin 8 at P2B is connected with TxD1_RS232 from the phyCORE-167CR/167CS
JP33	1 + 2	Pin 2 at P2B is connected with P2.5 from the phyCORE-167CR/167CS
	2 + 4	Pin 2 at P2B is connected with CAN_L1 from the on-board CAN transceiver on the phyCORE-167CR/167CS
JP34	2 + 3	Pin 7 at P2B is connected with CAN_H1 from the on-board CAN transceiver on the phyCORE-167CR/167CS
JP14	2 + 4	Input at opto-coupler U6 on the Development Board is connected to CAN-H1 from on-board transceiver of the phyCORE-167CR/167CS
	open	Input at opto-coupler U6 on the Development Board not connected
JP15	2 + 4	Output at opto-coupler U7 on the Development Board is connected to CAN-L1 from on-board transceiver of the phyCORE-167CR/167CS
	open	Output at opto-coupler U7 on the Development Board not connected
JP13	1 + 2	Supply voltage for CAN transceiver and opto-coupler on the Development Board derived from external source (CAN bus) via on-board voltage regulator
JP29	closed	Supply voltage for on-board voltage regulator from pin 9 of DB-9 connector P2A
JP39	see Table 42	CAN bus supply voltage reduction for CAN circuitry

Table 46: Improper Jumper Settings for the CAN Plug P2B (CAN Transceiver on the Development Board, only with C167CS)

3. The CAN transceiver populating the phyCORE-167CS is disabled; CAN signals generated by the CAN transceiver (U3) on the Development Board extend to connector P2B **with galvanic separation**. This configuration requires connection of an external CAN supply voltage of 7 to 13 V. The external power supply must be **only** connected to either P2A or P2B.

Jumper	Setting	Description
JP33	2 + 3	Pin 2 of DB-9 plug P2B connected with CAN-L1 from CAN transceiver U3 on the Development Board
JP34	1 + 2	Pin 7 of DB-9 plug P2B connected with CAN-H1 from CAN transceiver U3 on the Development Board
JP14	2 + 3	Input at opto-coupler U6 on the Development Board connected to CAN2_Tx (P4.6 ¹) of the C167CS
	1 + 2	Input at opto-coupler U4 on the Development Board connected to CAN2_Tx (P8.3 ²) of the C167CS
JP15	2 + 3	Output at opto-coupler U7 on the Development Board connected to CAN2_Rx (P4.4 ³) of the C167CS
	1 + 2	Output at opto-coupler U7 on the Development Board connected to CAN2_Rx (P8.2 ⁴) of the C167CS
JP13	1 + 2	Supply voltage for CAN transceiver and opto-coupler on the Development Board derived from external source (CAN bus) via on-board voltage regulator
JP18	open	CAN transceiver and opto-coupler on the Development Board disconnected from local GND potential
JP29	closed	Supply voltage for on-board voltage regulator from pin 9 of DB-9 plug P2A
JP39	see Table 42	CAN bus supply voltage reduction for CAN circuitry

Table 47: Jumper Configuration for CAN Plug P2A using the CAN Transceiver on the Development Board with Galvanic Separation (only with C167CS)

-
- 1: Port P4.7 is the default port for CAN2_Tx (standard).
 2: Port P8.3 is the alternative port for CAN2_Tx (see C167CS User's Manual/Data Sheet).
 3: Port P4.4 is the default port for CAN2_Rx (standard).
 4: Port P8.2 is the alternative port for CAN2_Rx (see C167CS User's Manual/Data Sheet).
-




Figure 24: Pin Assignment of the DB-9 Plug P2B (CAN Transceiver on Development Board with Galvanic Separation, only with C167CS)

Caution:

When using the DB-9 plug P2B as second CAN interface, and the CAN transceiver on the Development Board with galvanic separation, the following jumper settings are not functional and could damage the module:

Jumper	Setting	Description
JP30	closed	Pin 8 at P2B is connected with TxD1_RS232 from the phyCORE-167CR/167CS
JP33	1 + 2	Pin 2 at P2B is connected with P2.5 from the phyCORE-167CR/167CS
	2 + 4	Pin 2 at P2B is connected with CAN_L1 from the on-board CAN transceiver on the phyCORE-167CR/167CS
JP34	2 + 3	Pin 7 at P2B is connected with CAN_H1 from the on-board CAN transceiver on the phyCORE-167CR/167CS
JP14	2 + 4	Input at opto-coupler U6 on the Development Board is connected to CAN-H1 from on-board transceiver of the phyCORE-167CR/167CS
	open	Input at opto-coupler U6 on the Development Board not connected
JP15	2 + 4	Output at opto-coupler U7 on the Development Board is connected to CAN-L1 from on-board transceiver of the phyCORE-167CR/167CS
	open	Output at opto-coupler U7 on the Development Board not connected
JP13	2 + 3	Supply voltage for CAN transceiver and opto-coupler derived from local supply circuitry on the phyCORE Development Board HD200
JP18	closed	CAN transceiver and opto-coupler on the Development Board connected with local GND potential
JP29	open	No power supply via CAN bus
JP39	see Table 42	Incorrect CAN bus supply voltage reduction for CAN circuitry

Table 48: Improper Jumper Settings for the CAN Plug P2B (CAN Transceiver on Development Board with Galvanic Separation)

14.3.8 Programmable LED D3

The phyCORE Development Board HD200 offers a programmable LED at D3 for user implementations. This LED can be connected to port pin P2.0 of the phyCORE-167CR/167CS which is available via signal GPIO0 (JP17 = closed). A low-level at port pin P2.0 causes the LED to illuminate, LED D3 remains off when writing a high-level to P2.0.

Jumper	Setting	Description
JP17	closed	Port pin P2.0 (GPIO0) of the C167CR/C167CS controller controls LED D3 on the Development Board

Table 49: JP17 Configuration of the Programmable LED D3

14.3.9 Pin Assignment Summary of the phyCORE, the Expansion Bus and the Patch Field

As described in *section 14.1*, all signals from the phyCORE-167CR/167CS extend in a strict 1:1 assignment to the Expansion Bus connector X2 on the Development Board. These signals, in turn, are routed in a similar manner to the patch field on an optional expansion board that mounts to the Development Board at X2.

Please note that, depending on the design and size of the expansion board, only a portion of the entire patch field is utilized under certain circumstances. When this is the case, certain signals described in the following section will not be available on the expansion board. However, the pin assignment scheme remains consistent.

A two dimensional numbering matrix similar to the one used for the pin layout of the phyCORE-connector is provided to identify signals on the Expansion Bus connector (X2 on the Development Board) as well as the patch field.

However, the numbering scheme for Expansion Bus connector and patch field matrices differs from that of the phyCORE-connector, as shown in the following two figures:




Figure 25: Pin Assignment Scheme of the Expansion Bus




Figure 26: Pin Assignment Scheme of the Patch Field

The pin assignment on the phyCORE-167CR/167CS, in conjunction with the Expansion Bus (X2) on the Development Board and the patch field on an expansion board, is as follows:

Signal	phyCORE-167Cx	Expansion Bus	Patch Field
P0L.0/D0	18B	18B	33F
P0L.1/D1	19A	19A	34A
P0L.2/D2	20A	20A	34E
P0L.3/D3	20B	20B	34B
P0L.4/D4	21A	21A	34D
P0L.5/D5	21B	21B	34F
P0L.6/D6	22B	22B	35A
P0L.7/D7	23A	23A	35E
P0H.0/D8	28B	28B	37C
P0H.1/D9	29A	29A	37E
P0H.2/D10	30A	30A	37B
P0H.3/D11	30B	30B	37F
P0H.4/D12	31A	31A	38A
P0H.5/D13	31B	31B	38C
P0H.6/D14	32B	32B	38E
P0H.7/D15	33A	33A	38B
P1L.0/A0	8B	8B	30B
P1L.1/A1	9A	9A	30D
P1L.2/A2	10A	10A	30F
P1L.3/A3	10B	10B	31A
P1L.4/A4	11A	11A	31E
P1L.5/A5	11B	11B	31B
P1L.6/A6	12B	12B	31F
P1L.7/A7	13A	13A	32A
P1H.0/A8	13B	13B	32C
P1H.1/A9	14A	14A	32E
P1H.2/A10	15A	15A	32B
P1H.3/A11	15B	15B	32F
P1H.4/A12/CC24IO	16A	16A	33A
P1H.5/A13/CC25IO	16B	16B	33C
P1H.6/A14/CC26IO	17B	17B	33E
P1H.7/A15/CC27IO	18A	18A	33B

Table 50: Pin Assignment Data/Address Bus for the phyCORE-167CR/167CS/ Development Board / Expansion Board

Signal	phyCORE-167Cx	Expansion Bus	Patch Field
P4.0/A16	23B	23B	35B
P4.1/A17	24A	24A	35D
P4.2/A18	25A	25A	35F
P4.3/A19	25B	25B	36A
P4.4/A20/CAN2_RxD	26A	26A	36E
P4.5/A21/CAN1_RxD	26B	26B	36B
P4.6/A22/CAN1_TxD	27B	27B	36F
P4.7/A23/CAN2_TxD	28A	28A	37A
P2.0/CC0IO	11D	11D	4A
P2.1/CC1IO	12D	12D	4B
P2.2/CC2IO	13C	13C	4F
P2.3/CC3IO	13D	13D	5A
P2.4/CC4IO	14C	14C	5C
P2.5/CC5IO	15C	15C	5E
P2.6/CC6IO	15D	15D	5B
P2.7/CC7IO	16C	16C	5F
P2.8/CC8IO/EX0IN	2B	2B	28E
P2.9/CC9IO/EX1IN	3A	3A	28B
P2.10/CC10IO/EX2IN	3B	3B	28F
P2.11/CC11IO/EX3IN	19C	19C	6F
P2.12/CC12IO/EX4IN	20C	20C	7A
P2.13/CC13IO/EX5IN	37D	37D	12F
P2.14/CC14IO/EX6IN	25D	25D	8F
P2.15/CC15IO/EX7IN/T7IN	26D	26D	9E
P3.0/T0IN	44A	44A	42E
P3.1/T6OUT	45A	45A	42B
P3.2/CAPIN	45B	45B	42F
P3.3/T3OUT	46A	46A	43A
P3.4/T3EUD	46B	46B	43C
P3.5/T4IN	47B	47B	43E
P3.6/T3IN	48A	48A	43B
P3.7/T2IN	48B	48B	43F
P3.8/MRST	42B	42B	41F
P3.9/MTSR	43A	43A	42A
P3.10/TxD0_TTL	17D	17D	6C
P3.11/RxD0_TTL	16D	16D	6A
P3.12/ /WRH /BHE	33B	33B	38F
P3.13/SCLK	43B	43B	42C
P3.15/CLKOUT	1B	1B	28C

Table 51: Pin Assignment Port P2, P3, P4 for the phyCORE-167CR/167CS / Development Board / Expansion Board

The phyCORE-167CR/167CS on the phyCORE-Development Board

Signal	phyCORE-167Cx	Expansion Bus	Patch Field
P5.0/AN0	50C	50C	17A
P5.1/AN1	49C	49C	16F
P5.2/AN2	48D	48D	16B
P5.3/AN3	48C	48C	16E
P5.4/AN4	47D	47D	16C
P5.5/AN5	46D	46D	16A
P5.6/AN6	46C	46C	15F
P5.7/AN7	45D	45D	15B
P5.8/AN8	45C	45C	15E
P5.9/AN9	44C	44C	15C
P5.10/AN10/T6EUD	43D	43D	15A
P5.11/AN11/T5EUD	43C	43C	14F
P5.12/AN12/T6IN	42D	42D	14B
P5.13/AN13/T5IN	41D	41D	14E
P5.14/AN14/T4EUD	41C	41C	14A
P5.15/AN15/T2EUD	40D	40D	13F
P6.0/ /CS0	49A	49A	44A
P6.1/ /CS1	50A	50A	44E
P6.2/ /CS2	6B	6B	29F
P6.3/ /CS3	5B	5B	29B
P6.4/ /CS4	5A	5A	29E
P6.5/ /HOLD	35B	35B	39B
P6.6/ /HLDA	36A	36A	39D
P6.7/ /BREQ	36B	36B	39F
P7.0/POUT0	37B	37B	40A
P7.1/POUT1	38A	38A	40E
P7.2/POUT2	38B	38B	40B
P7.3/POUT3	39A	39A	40D
P7.4/CC28IO	40A	40A	40F
P7.5/CC29IO	40B	40B	41A
P7.6/CC30IO	41A	41A	41E
P7.7/CC31IO	41B	41B	41B
P8.0/CC16IO	27D	27D	9B
P8.1/CC17IO	28D	28D	10A
P8.2/CC18IO	30D	30D	10B
P8.3/CC19IO	31D	31D	11A
P8.4/CC20IO	35C	35C	12A
P8.5/CC21IO	35D	35D	12E
P8.6/CC22IO	36C	36C	12B
P8.7/CC23IO	36D	36D	12D

Table 52: Pin Assignment Port P5, P6, P7, P8 for the phyCORE-167CR/167CS / Development Board / Expansion Board

Signal	phyCORE-167Cx	Expansion Bus	Patch Field
CAN1_RxD/P4.5/A21	26B	26B	36B
CAN1_TxD/P4.6/A22	27B	27B	36F
CAN2_RxD/P4.4/A20	26A	26A	36E
CAN2_TxD/P4.7/A23	28A	28A	37A
CAN-H0	21D	21D	7D
CAN-L0	20D	20D	7E
CAN-H1	18C	18C	6E
CAN-L1	18D	18D	6B
RxD0_RS232	22D	22D	7F
TxD0_RS232	23D	23D	8E
RxD1_RS232	21C	21C	7B
TxD1_RS-232	23C	23C	8A
/RTS1_RS232	24C	24C	8B
/CTS1_RS232	25C	25C	8D
/DSR1_RS232	26C	26C	9A
/DTR1_RS232	28C	28C	9F
/RII_TTL	29C	29C	10C
/CD1_TTL	30C	30C	10E
SCL	31C	31C	10F
SDA	32D	32D	11C

Table 53: Pin Assignment Interface Signals for the phyCORE-167CR/167CS / Development Board / Expansion Board

Signal	phyCORE-167Cx	Expansion Bus	Patch Field
/RD	7B	7B	30A
/WR/ /WRL	8A	8A	30E
/READY	34A	34A	39A
/ALE	6A	6A	29D
OWE	4D	4D	2C
VPP (NOT with C167Cx)	5D	5D	1D
/RSTIN	10C, 10D	10C, 10D	3D, 3F
/RSTOUT	11C	11C	4E
BOOT	9C	9C	3B
/NMI	4A	4A	29A
/PFO	8C	8C	3E
/CS_UART	34C	34C	11F
IRQ_UART	33C	33C	11E
/IRQ_RTC	33D	33D	11B
PFI	7D	7D	2F
WDI	8D	8D	3A

Table 54: Pin Assignment Control Signals for the phyCORE-167CR/167CS / Development Board / Expansion Board

The phyCORE-167CR/167CS on the phyCORE-Development Board

Signal	phyCORE-167Cx	Expansion Bus	Patch Field
VCC	1C, 2C, 1D, 2D	1C, 2C, 1D, 2D	1A, 1C
VCC2	Not defined		2A, 1B
XTAL1	1A	1A	28A
VPD	6D	6D	2D
VBAT	6C	6C	2B
VAREF	50D	50D	17E
VAGND	42C, 47C, 39D, 44D, 49D	42C, 47C, 39D 44D, 49D	connected to GND potential
GND	2A, 7A, 12A, 17A, 22A, 27A, 32A, 37A,42A, 47A, 4B, 9B, 14B, 19B, 24B, 29B, 34B, 39B, 44B, 49B, 3C, 7C, 12C, 17C, 22C, 27C, 32C, 37C, 3D, 9D, 14D, 19D, 24D, 29D, 34D	2A, 7A, 12A, 17A, 22A, 27A, 32A, 37A,42A, 47A, 52A, 57A, 62A, 67A, 72A, 77A, 4B, 9B, 14B, 19B, 24B, 29B, 34B, 39B, 44B, 49B, 54B, 59B, 64B, 69B, 74B, 79B,3C, 7C, 12C, 17C, 22C, 27C, 32C, 37C, 42C, 47C, 52C, 57C, 62C, 67C, 72C, 77C, 3D, 9D, 14D, 19D, 24D, 29D, 34D, 39D, 44D, 54D, 59D, 64D, 69D, 74D, 79D	3C, 4C, 7C, 8C, 9C, 12C, 13C, 14C, 17C, 18C, 19C, 22C, 23C, 24C, 27C, 29C, 30C, 31C, 34C, 35C, 36C, 39C, 40C, 41C, 44C, 45C, 46C, 49C, 50C, 51C, 54C, 4D, 5D, 6D, 9D, 10D, 11D, 14D, 15D, 16D, 9D, 20D, 21D, 24D, 25D, 26D, 28D, 31D, 32D, 33D, 36D, 37D, 38D, 41D, 42D, 43D, 46D, 47D, 48D, 51D, 52D, 53D, 1E, 2E, 1F

Table 55: Pin Assignment Power Supply for the phyCORE-167CR/167CS / Development Board / Expansion Board

Signal	phyCORE-167Cx	Expansion Bus	Patch Field
NC	35A, 50B, 4C, 5C, 38C, 39C, 40C, 38D	51A, 53A, 54A, 55A, 56A, 58A, 59A, 60A, 61A, 63A, 64A, 65A, 66A, 68A, 69A, 70A, 71A, 73A, 74A, 75A, 76A, 78A, 79A, 80A 35A, 50B, 51B, 53B, 54B, 55B, 56B, 58B, 59B, 60B, 61B, 63B, 64B, 65B, 66B, 68B, 69B, 70B, 71B, 73B, 74B, 75B, 76B, 78B, 79B, 80B 51C, 53C, 54C, 55C, 56C, 58C, 59C, 60C, 61C, 63C, 64C, 65C, 66C, 68C, 69C, 70C, 71C, 73C, 74C, 75C, 76C, 78C, 79C, 80C 4C, 5C, 38C, 39C, 40C, 38D 51D, 53D, 54D, 55D, 56D, 58D, 59D, 60D, 61D, 63D, 64D, 65D, 66D, 68D, 69D, 70D, 71D, 73D, 74D, 75D, 76D, 78D, 79D, 80D	27B, 27D, 54D, 27F, 54F 44D, 44F, 45A, 45E, 45B, 45D, 45F, 46A, 46E, 46B, 46F, 47A, 47C, 47E, 47B, 47F, 48A, 48C, 48E, 48B, 48F, 49A, 49E, 49B, 49D, 49F, 50A, 50E, 50B, 50D, 50F, 51A, 51E, 51B, 51F, 52A, 52C, 52E, 52B, 52F, 53A, 53C, 53E, 53B, 53F, 54A, 54E, 54B

Table 56: *Unused Pins on the phyCORE-167CR/167CS / Development Board / Expansion Board*

14.3.10 Battery Connector BAT1

The mounting space BAT1 (see PCB stencil) is provided for connection of a battery that buffers volatile memory devices (SRAM) and the RTC on the phyCORE-167CR/167CS. The Voltage Supervisor Chip on the phyCORE-167CR/167CS is responsible for switching from a normal power supply to a back-up battery. The optional battery required for this function (*refer to section 11*) is available through PHYTEC (order code BL-011).

14.3.11 Releasing the /NMI Interrupt

The boot button S1 on the phyCORE Development Board HD200 can be routed to the non-maskable interrupt (/NMI) of the C167CR/C167CS controller with applicable configuration of Jumper JP28 (*also refer to section 14.3.2*).

Jumper	Setting	Description
JP28	7 + 8 1 + 3	Boot button S1 can be used to release the /NMI interrupt of the C167CR/C167CS controller

Table 57: JP28 Releasing the /NMI Interrupt

14.3.12 DS2401 Silicon Serial Number

Communication to a DS2401 Silicon Serial Number can be implemented in various software applications for the definition of a node address or as copy protection in networked applications. The DS2401 can be soldered on space U10 or U9 on the Development Board, depending on the type of device packaging being used.

The Silicon Serial Number Chip mounted on the phyCORE Development Board HD200 can be connected to port pin P2.1 of the C167CR/C167CS available at GPIO1 (JP19 = closed).

Jumper	Setting	Description
JP19	closed	Port pin P2.1 (GPIO1) of the C167CR/C167CS is used to access the Silicon Serial Number

Table 58: JP19 Jumper Configuration for Silicon Serial Number Chip




Figure 27: Connecting the DS2401 Silicon Serial Number




Figure 28: Pin Assignment of the DS2401 Silicon Serial Number

14.3.13 Pin Header Connector X4

The pin header X4 on the Development Board enables connection of an optional modem power supply. Connector X4 supplies 5 V = at pin 1 and provides the phyCORE Development Board HD200 GND potential at pin 2. The maximum current draw depends on the power adapter used. We recommend the use of modems with less than 250 mA current draw.

14.3.14 JP40, S3 Multi-Purpose Push Button Configuration

Push button S3 on the Development Board HD200 can be connected to various input pins of the microcontroller populating the phyCORE module with the help of Jumper JP40. On phyCORE modules featuring an Infineon 16-bit microcontroller this push button can control the controller's NMI input. Push button S3 connects the signal to Ground potential when pushed. A 4.7 kOhm pull-up resistor is used to guarantee a defined high level of the applicable signal line.

The following configurations are possible with JP40:

Multi-Purpose Push Button S3 Configuration	JP40
No connection between S3 and any microcontroller input pin	open*
S3 connected with /NMI (BUS5) signal of the C167CR/CS microcontroller	1 + 2
S3 connected with P2.10 (BUS4) signal of the C167CR/CS microcontroller	2 + 3

* = Default setting

Table 59: JP40 Multi-Purpose Push Button S3 Configuration

15 debugCORE-167CR/167CS

The debugCORE-167CR/167CS is a special debugging version Single Board Computer (SBC) module which is 100 % function-compatible with the phyCORE-167CR/167CS. As opposed to the phyCORE-167CR/167CS, which was developed for use in OEM applications, the debugCORE-167CR/167CS is used for simple and efficient error detection and debugging using a hardware emulator. To support its debugging function, the debugCORE-167CR/167CS provides all required connectors for emulator connectivity and is equipped with LEDs for displaying the operating state.

Since the debugCORE is 100 % function-compatible with the phyCORE-167CR/167CS, it can easily be inserted directly into the application in place of the phyCORE-167CR/167CS for the purpose of hardware debugging (*see Figure 29*).

15.1 Components of the debugCORE

As described previously, the debugCORE-167CR/167CS represents a superset and expansion of the phyCORE-167CR/167CS.

The following components have been added for simple debugging:

- two 80-pole SMD-connectors (X2), through which all necessary controller signals extend, and to which the debugADAPTER-167 is attached
- a reset button (S1)
- pin header row (X3) with silk-screened designator for easy access to voltage levels and
- two LEDs (D3, D4) for status display

The following figure shows the positions of the additional components.




Figure 29: Positions of the Additional Components on the debugCORE-167CR/167CS

The pin header row X3 provides a simple method of accessing the supply voltage of the debugCORE-167CR/167CS and its reset signal for the purpose of measurement.

The following table shows the pin layout.

Pin	Signal
1	VCC
2	GND
3	/RESET

Table 60: Pinout Pin Header Row X3 on the debugCORE-167CR/167CS

Two LEDs D3 and D4 are provided for status display of the debugCORE-167CR/167CS. LED D3 shows whether the controller is in Adapt Mode or not, in other words, whether an emulation is in progress. LED D4 shows whether the EINIT (end of initialization) instruction was carried out.

15.2 debugADAPTER-167

The debugADAPTER-167 is required to allow easy connection of the debugCORE-167CR/167CS to an Emulator. The debugADAPTER-167 is inserted into the SMD socket at X2 on the debugCORE. The debugADAPTER-167 features a Quad-Connector which enables direct connection of an Emulator without any additional expansion.

The debugADAPTER-167 is populated with various jumpers. These jumpers however are only relevant during operation on a debugMODUL-164.

15.2.1 The Quad-Connector

The quad-connector is the safest and most reliable method of connecting the debug hardware to a Hitex or NOHAU Emulator. The interface contains all C167CR/C167CS processor signals and power pins. In addition, the quad-connector is also the most inexpensive emulator interface solution available on the market.

Quad-Connector X2 A

Pin	Signal	Signal	Pin
1	NC	NC	2
3	P6.0	P6.1	4
5	P6.2	P6.3	6
7	P6.4	/HLD-P	8
9	P6.6	P6.7	10
11	P8.0	P8.1	12
13	P8.2	P8.3	14
15	P8.4	P8.5	16
17	P8.6	P8.7	18
19	VCC	GND	20
21	P7.0	P7.1	22
23	P7.2	P7.3	24
25	P7.4	P7.5	26
27	P7.6	P7.7	28
29	P5.0	P5.1	30
31	P5.2	P5.3	32
33	P5.4	P5.5	34
35	P5.6	P5.7	36
37	P5.8	P5.9	38
39	NC	NC	40

Quad-Connector X2 B

Pin	Signal	Signal	Pin
41	NC	NC	42
43	VREF	VGND	44
45	P5.10	P5.11	46
47	P5.12	P5.13	48
49	P5.14	P5.15	50
51	GND	VCC	52
53	P2.0	P2.1	54
55	P2.2	P2.3	56
57	P2.4	P2.5	58
59	P2.6	P2.7	60
61	GND	VCC	62
63	P2.8	P2.9	64
65	P2.10	P2.11	66
67	P2.12	P2.13	68
69	P2.14	P2.15	70
71	P3.0	P3.1	72
73	P3.2	P3.3	74
75	P3.4	P3.5	76
77	GND	VCC	78
79	NC	NC	80

Quad-Connector X2 C

Pin	Signal	Signal	Pin
81	NC	NC	82
83	P3.6	P3.7	84
85	P3.8	P3.9	86
87	P3.10	P3.11	88
89	/WRH	P3.13	90
91	P3.15	VCC	92
93	GND	VPP	94
95	A16	A17	96
97	A18	A19	98
99	A20	A21	100
101	A22	A23	102
103	VCC	GND	104
105	/RD-P	/WRL	106
107	/RDY-P	ALE	108
109	/EA	D0	110
111	D1	D2	112
113	D3	D4	114
115	D5	D6	116
117	D7	D8	118
119	NC	NC	120

Quad-Connector X2 D

Pin	Signal	Signal	Pin
121	NC	NC	122
123	VCC	GND	124
125	D9	D10	126
127	D11	D12	128
129	D13	D14	130
131	D15	A0	132
133	A1	A2	134
135	A3	A4	136
137	A5	A6	138
139	A7	VCC	140
141	GND	A8	142
143	A9	A10	144
145	A11	A12	146
147	A13	A14	148
149	A15	VCC	150
151	XTO	XTI	152
153	GND	/RES-P	154
155	/RESO-P	/NMI-P	156
157	GND	VCC	158
159	NC	NC	160

Table 61: Connector Layout of the of the Quad-Connector (X6)

15.3 Physical Dimensions

Due to the required expansion header, the debugCORE's physical dimensions are greater than those of its phyCORE-base module. This must be taken into consideration, especially upon insertion into the target application.

Dimensions:

debugCORE-167CR/167CS	80 x 53 mm
debugAdapter-167	81 x 66 mm




Figure 30: Physical Dimensions debugCORE-167CR/167CS

16 Revision History

Date	Version numbers	Changes in this manual
20-Oct-2000	Manual L-527e_1 PCM-009-Cx PCB# 1177.1 PCM-997-V2 PCB# 1179.1	First preliminary version. (BJ)
11-May-2001	Manual L-527e_2 PCM-009-Cx PCB# 1177.2 PCM-997-V2 PCB# 1179.1	Revision due to language mistakes, phyCORE-ST10F168 description added.
9-Jul-2001	Manual L-527e_3 PCM-009-Cx PCB# 1177.3 PCM-997-V2 PCB# 1179.2	Section 14 added describing the phyCORE-167 on the Development Board HD200.
8-Apr-2002	Manual L-527e_4 PCM-009-Cx PCB# 1177.4 PCM-997-V2 PCB# 1179.2	Jumper description modified for phyCORE-167 PCB# 1177.4, Jumpers J23 and J24 added. Error in table 50 (pin P1L2/A2) patch field pin corrected.
12-Jun-2002	Manual L-527e_5 PCM-009-Cx PCB# 1177.4 PCM-997-V2 PCB# 1179.2	Error in table 50 (pin PIH7/A15/CC27IO) corrected. New PHYTEC America address added.
10-Jul-2002	Manual L-527e_6 PCM-009-Cx PCB# 1177.4 PCM-997-V2 PCB# 1179.2	Section 15 added describing debugCORE-167
4-Oct-2002	Manual L-527e_7 PCM-009-Cx PCB# 1177.4 PCM-997-V2 PCB# 1179.2	EEPROM and FRAM types and manufacturer information in section 8 corrected.
26-Nov-2002	Manual L-527e_8 PCM-009-Cx PCB# 1177.4 PCM-997-V2 PCB# 1179.2	Error in section 14.3.12, Releasing the /NMI Interrupt, table for JP28 corrected.

Date	Version numbers	Changes in this manual
4-Feb-2003	Manual L-527e_9 PCM-009-Cx PCB# 1177.4 PCM-997-V2 PCB# 1179.4	Section 14 adapted to describe Development Board HD200 (PCM-997-V2) with PCB# 1179.4. Error in table 50 (pin P1L7/A7) corrected. This revision history table added.
7-April-2003	Manual L-527e_10 PCM-009-Cx PCB# 1177.4 PCM-997-V2 PCB# 1179.4	Section 12, Technical Specifications, Figure 7, Error in physical dimensions corrected.
2-Feb-2004	Manual L-527e_11 PCM-009-Cx PCB# 1177.5 PCM-997-V2 PCB# 1179.4	Modifications to match new PCB# 1179.5. Changes for Jumpers J6 and J14. Jumpers J25 and J26 added, see Table 2., sections 3.5, 3.9, 3.10 and 3.16. Description for new push button S3 and Jumper JP40 added in new <i>section</i> 14.3.14.

Index

/	
/NMI Interrupt	93
A	
A/D Converter	21
B	
BAT1	93
Battery Buffer	47
Battery Connector	93
Block Diagram	6
Bootstrap Loader	63
C	
CAN Bus	42
CAN Interface	26, 42
CAN Transceiver	42
CANH	42
CANL	42
CANRx	42
CANTx	42
COM Port	41
Concept of the Development Board	53
Connector X4	94
D	
Development Board Connectors and Jumpers	55
Dimensions	50
DS2401	93
E	
EEPROM	23
EMC/EMI	1
Expansion Bus	85
External UART	22
F	
Features	5
First CAN Interface	74
First Serial Interface	65
Flash	
Write Protection	29
Flash Memory	46
FRAM Address	25
FRAM Write Protection	24
Functional Components on the phyCORE Development Board	60
H	
Handshake Signals	41
Humidity	50
I	
I ² C Bus	23, 43
I ² C Interface	44
Initialization Routine	31
J	
J1	19
J1	19
J10	23
J11	24
J12	24
J13	25
J14	25
J15	25
J16	26
J17	26
J18	26
J19	26
J2	20

J20	27	Power Supply to External	
J25	29	Devices via Socket P1A	67
J26	25	Programming Voltage	22
J3	20	Q	
J4	21	Quad-Connector	99
J5	21	R	
J6	22	Real-Time Clock	43
J7	22	Reference Voltage	21
J8	22	Remote Supervisory Chip	45
J9	23	Reset Button	57
JP17	85	RS-232 Interface	41
JP19	93	RS-232 Level	41
JP28	93	RS-232 Transceiver	41
Jumper Configuration	57	RTC	23, 47
Jumper Settings	18	RTC Interrupt Output	24
L		RxD	41
LED D3	85	S	
O		SCL	23, 43
on-chip Flash	22	SDA	23, 43
on-chip UART	22	Second CAN Interface	80
Operating Temperature	50	Second Serial Interface	69
Operating Voltage	50	Serial EEPROM, Address	25
Oscillator Watchdog	22	Serial EEPROM,	
P		Write Protection	24
P3.1/TxD0	25	Serial EEPROM/FRAM	44
Patch Field	85	Serial Interface	28
PCA82C251	42	Serial Interfaces	41
phyCORE-connector	7, 10	Si9200EY	42
Physical Dimensions	49	Silicon Serial Number	93
Pin Assignment	85	SMT Connector	7
Pin Description	7	Socket P1A (First RS-232)	65
Pinout	13	Socket P1B (Second RS-232)	69
Plug P2A	74	SRAM	47
Plug P2B	80	SRAM, Pin 30	19
Port 0	32	Storage Temperature	50
Power Consumption	50	System Configuration	31
Power Supply	61	System Initialization	31

System Startup Configuration ...	31	U7	41
T		U8	45
Technical Specifications	49	U9	23, 44
TxD	41	UART	41
U		UART, external	41
U1	46	UART, on-chip	41
U10	23, 43	V	
U11	42	V _{AGND}	21
U12	42	V _{AREF}	21
U2	19	VBAT	47
U3	19	Voltage Supervisor Chip	48
U4	51	VPD	47
U5	41	W	
U6	41	Weight	50

Document: phyCORE-167CR/167CS
Document number: L-527e_11, February 2004

How would you improve this manual?

Did you find any mistakes in this manual? _____ page

Submitted by:

Customer number: _____

Name: _____

Company: _____

Address: _____

Return to:

PHYTEC Technologie Holding AG
Postfach 100403
D-55135 Mainz, Germany
Fax : +49 (6131) 9221-33

Published by

PHYTEC

© PHYTEC Meßtechnik GmbH 2004

Ordering No. L-527e_11
Printed in Germany